

Last revised April 2009

Bibliography
Calibration and Weighting Estimators
(50 entries)

1. Bartlett, M.S. 1978. Nearest neighbor models in the analysis of field experiments. *Journal of the Royal Statistical Society B*. 40(2): 147 – 174
2. Fix, E. and Hodges, J.L. Jr. 1989. Discriminatory analysis - Nonparametric discrimination: Consistency properties. *International Statistical Review* 57(3): 238 – 247
3. Sarndal, C., Swensson, B. and Wretman, J.H. 1989. The weighted residual technique for estimating the variance of the general regression estimator of the finite population total. *Biometrika* 76(3): 527 – 537
4. Zieschang, K.D. 1990. Sample weighting methods and estimation of totals in the consumer expenditure survey. *Journal of the American Statistical Association* 85(412): 986 - 1001
5. Deville, J. and Sarndal, C. 1992. Calibration estimators in survey sampling. *Journal of American Statistical Association* 87(418): 376 – 381
6. Armstrong, J. and St-Jean, H. 1994. Generalized regression estimation for a two-phase sample of tax records. *Survey Methodology* 20(2): 97 – 105
7. Dupont, F. 1995. Alternative adjustments where there are several levels of auxiliary information. *Survey Methodology* 21(2): 125 – 135
8. Estevao, V., Hidirolou, M.A., and Sarndal, C.E. 1995. Methodological principles for a generalized estimation system at statistics Canada. *Journal of Official Statistics* 11(2): 181-204
9. Hidirolou, M.A., Sarndal, C., and Binder, D.A. 1995. Weighting and estimation in business surveys. *Business Survey Methods*: 477 – 502
10. Moeur, M. and Stage, A.R. 1995. Most similar neighbor: An improved sampling inference procedure for natural resource planning. *Forest Science* 41(2): 337 - 359
11. Gregoire, T.G. 1996. Review of JASA Theory and Methods submission (#96 – 138) “ Use of Auxiliary Information for Two-phase sampling. *Journal of the American Statistical Association*.
12. Lappi, J. 1996. Inventory in small areas: combining the calibration estimator and the mixed model.
13. Lappi, J. 1996. Forest Inventory of small areas: Combining the calibration estimator and a spatial model.

14. Sarndal, C. 1996. Efficient estimators with simple variance in unequal probability sampling. *Journal of the American Statistical Association* 91(435): 1289 – 1299
15. Singh, A.C. and Mohl, C.A. 1996. Understanding calibration estimators in survey sampling. *Survey Methodology* 22(2): 107 – 115
16. Stukel, D.M., Hidiroglou, M.A. and Sarndal, C. 1996. Variance estimation for calibration estimators: A comparison of jackknifing versus Taylor linearization. *Survey Methodology* 22(2): 117 - 125
17. Casella, G. 1997. Referees Reports/Comments. *Journal of the American Statistical Association*.
18. Gregoire, T. 1997. Referee report on “ Extensions of calibration estimates in survey sampling”. *Journal of the American Statistical Association*.
19. Maltamo, M. and Kangas, A. 1998. Methods based on k-nearest neighbor regression in the prediction of basal area diameter distribution. *Can. J. For. Res.* 28: 1107 - 1115
20. Singh, S., Horn, S. and Yu, F. 1998. Estimation of variance of general regression estimator: higher level calibration approach. *Survey Methodology* 24(1): 41 – 50
21. Deville, J. 1999. Variance estimation for complex statistics and estimators: linearization and residual techniques. *Survey Methodology* 25(2): 193 – 203
22. Tommola, M. *et al* 1999. Estimating the characteristics of a marked stand using k-nearest neighbor regression. *Journal of Forest Engineering*: 75 – 81
23. Tomppo, E., Goulding, C., and Katila, M. 1999. Adapting Finnish multi-source forestry inventory techniques to the New Zealand preharvest inventory. *Scand. J. For. Res.* 14: 182 - 192
24. Theberge, A. 1999. Extensions of calibration estimators in survey sampling. *Journal of the American Statistical Association* 94(446): 635 – 644
25. Dixon, P.M. 2000. Nearest neighbor methods. Department of Statistics, Iowa State University. 23 p
26. Zhang, L. 2000. Post-stratification and calibration – A synthesis. *The American Statistician* 54(4): 178 –
27. Maltamo, M. and Eerikainen, K. 2001. The most similar neighbor reference in the yield prediction of *Pinus kesiya* stands in Zambia. *Silva Fennica* 35(4): 437 - 451
28. McRoberts, R.E., Nelson, M.D. and Wendt, D.G. 2001. Stratified estimates of forest area

- using the k-nearest neighbors technique and satellite imagery. In Proceedings of the third annual forest inventory and analysis symposium (McRoberts, R.E. et al eds.). Traverse City, Michigan, October 17-19, 2001.
29. McRoberts, R.E. 2001. Imputation and model-based updating techniques for annual forest inventories. *Forest Science* 47(3): 322 - 330
 30. Muinonen, E. *et al* 2001. Forest stand characteristics estimation using a most similar neighbor approach and image spatial structure information. *Remote Sensing of Environment* 78: 223- 228
 31. Sironen, S., Kangas, A., Maltamo, M. and Kangas, J. 2001. Estimating individual tree growth with the nearest k-nearest neighbor and k-most similar neighbor methods. *Silva Fennica* 35(4): 453 - 467
 32. Tuominen, S. and Poso, S. 2001. Improving multi-source forest inventory by weighting auxiliary data sources. *Silva Fennica* 35(2): 203 - 214
 33. Wu, C. and Sitter, R.R. 2001. A model-calibration approach to using information from survey data. *Journal of the American Statistical Association* 96(453): 185 - 193
 34. Estavao, V.M. and Sarndal, C. 2002. The ten cases of auxiliary information for calibration in two-phase sampling. *Journal of Official Statistics* 18(2): 233 – 255
 35. McRoberts, R.E., Nelson, M.D., and Wendt, D.G. 2002. Stratified estimation of forest area using satellite imagery, inventory data, and the k-nearest neighbor technique. *Remote Sensing of the Environment* 82: 457 – 468
 36. Malinen, J., Maltamo, M., and Verkasalo, E. 2003. Predicting the internal quality and value of Norway spruce trees by using two non-parametric nearest neighbor methods. *Forest Products Journal* 53(4): 85 - 94
 37. Maltamo, M. *et al* 2003. Most similar neighbour-based stand variable estimation for use in inventory by compartments in Finland. *Forestry* 76(4): 449 – 463
 38. Temesgen, H. 2003. Estimating stand tables from aerial attributes: a comparison of parametric prediction and most similar neighbor methods. *Scand. J. For. Res.* 18: 279 - 288
 39. Kott, P.S. 2004. A practical use for instrumental-variable calibration. *Journal of Official Statistics*
 40. LeMay, V. and Temesgen, H. 2005. Comparison of nearest neighbor methods for estimating basal area and stems per hectare using aerial auxiliary variables. *Forest Science* 51(2): 109 - 119
 41. McRoberts, R.E. 2005. Variance approximations for model-based inferences. An attachment

to an email from Ronald McRoberts to Timothy G. Gregoire.

42. Montanari, G.E. and Ranalli, M.G. 2005. Nonparametric model calibration estimation in survey sampling. *Journal of the American Statistical Association* 100(472): 1429 - 1442
43. Estevao, V.M. and Sarndal, C. 2006. Survey estimates by calibration on complex auxiliary information. *International Statistical Review* 74(2): 127 – 147
44. McRoberts, R.E. 2006. A model-based approach to estimating forest area. *Remote Sensing of Environment* 103: 56 - 66
45. Ouyang, D., Li, D., and Li, Q. 2006. Cross-validation and non-parametric k nearest-neighbor estimation. *Econometrics Journal* 9: 448- 471
46. Sarndal, C. 2007. The calibration approach in survey theory and practice. *Survey Methodology* 33(2): 99 - 119
47. Sugden, R.A. and Smith, T.M.F. 2007. Design-based properties of linear calibrated estimators of a finite population total. *International Statistical Review* 75(2): 218 – 23
48. Baffetta, F. *et al.* 2008. Design-based approach to k-nearest neighbors technique for coupling field and remotely sensed data in forest surveys. *Remote Sensing of Environment*: 1 -13
49. Eskelson, B.N.I, Temesgen, H. and Barrett, T.M. 2008. Comparison of stratified and non-stratified most similar neighbor imputation for estimating stand tables. *Forestry*: 125 – 134
50. Magnussen, S., Picard, N., and Kleinn, C. 2008. A Gamma-Poisson distribution of point k nearest event distance. *Forest Science* 54(4): 429 - 441