

Last revised: December 2006

**BIBLIOGRAPHY FOR DIAMETER DISTRIBUTION,
DENSITY AND DISTRIBUTION ESTIMATION,
AND DIAMETER AND BASAL AREA INCREMENT
1971-2006 (157 Entries)**

1. Burkhart, H.E. (1971) "Slash pine plantation yield estimates based on diameter distribution: an evaluation." *Forest Science*, 17(4): 452-453.
2. Bailey, R.L. and Dell, T.R. (1973) "Quantifying diameter distributions with the Weibull Function." *Forest Science*, 19(2): 97-104.
3. Bruner, H.D. and Moser, J.W., Jr. (1973) "A Markov Chain approach to the prediction of diameter distributions in uneven-aged forests stands." *Canadian Journal of Forest Research*, 3(3): 409-417. With handwritten notes.
4. Bailey, R.L. (1974) "Announcement: computer programs for quantifying diameter distributions with the Weibull function." *Forest Science*, 20(3): 229-229.
5. Lesinski, G.A. (1974) "Dynamics of basal area increment on sample trees in selected stands of Scots pine in the Niepolomice forest near Krakow." *Mitteilungen der Forstlichen Bundes-Versuchsanstalt Wien*, 105: 39-46.
6. Rockette, H., Antle, C. and Klimko, L.A. (1974) "Maximum likelihood estimation with the Weibull model." *Journal of the American Statistical Association*, 69(345, Theory and Methods Section): 246-249.
7. Beck, D.E. and Della-Bianca, L. (1975) "Board-foot and diameter growth of Yellow-Poplar after Thinning." *U.S. Department of Agriculture Forest Service Research Paper SE-123*, 20 pages. Southeastern Forest Experiment Station, Asheville, NC.
8. Ek, A.R., Issos, J.N. and Bailey, R.L. (1975) "Solving for Weibull diameter distribution parameters to obtain specified mean diameters." *Forest Science*, 21(3): 290-292.
9. Strub, M.R. and Burkhart, H.E. (1975) "A class-interval-free method for obtaining expected yields from diameter distributions." *Forest Science*, 21(1): 67-69.
10. Lohrey, R.E. and Bailey, R.L. (1977) "Yield tables and stand structure for unthinned longleaf pine plantations in Louisiana and Texas." *USDA Forest Service Research Paper SO-133*, 53 pages. Southeastern Forest Experiment Station, Asheville, NC.
11. Silverman, B.W. (1978) "Choosing the window width when estimating a density." *Biometrika*, 65(1): 1-11.
12. Dell, T.R., Feduccia, D.P., Campbell, T.E., Mann, W.F., Jr. and Polmer, B.H. (1979) "Yields of unthinned slash pine plantations on cutover sites in the West Gulf region."

U.S. Department of Agriculture Forest Service Research Paper SO-147, 84 pages.
Southern Forest Experiment Station, New Orleans, LA.

13. Feduccia, D.P., Dell, T.R., Mann, W.F., Jr., Campbell, T.E., and Polmer, B.H. (1979) "Yields of unthinned Loblolly pine plantations on cutover sites in the West Gulf region." *U.S. Department of Agriculture Forest Service Research Paper SO-148*, 88 pages. Southern Forest Experiment Station, New Orleans, LA.
14. Bailey, R.L., Abernethy, N.C. and Jones, E.P., Jr. (1980) "Diameter distributions models for repeatedly thinned slash pine plantations." In Barnett, James P. (ed.) *Proceedings of the 1st Biennial Southern Silvicultural Research Conference*, 1980 November 6-7; Atlanta, GA. Gen. Tech. Rep. SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service: 115-126.
15. Cohen, A.C. and Whitten, B.J. (1980) "Estimation in the three-parameter lognormal distribution." *Journal of the American Statistical Association*, 75(370): 399-404.
16. Hyink, D.M. (1980) "Diameter distribution approaches to growth and yield modelling." In Brown, K.M. and Clarke, F.R. (eds.) *Forecasting Forest Stand Dynamics: Proceedings of the Workshop held at the School of Forestry, Lakehead University, Thunder Bay, Ontario*, 1980 June 24-25: 138-163.
17. MacLean, C.D. (1980) "Walk-through inventory: a short-cut substitute for remeasuring slow-growing inventory plots." In Barnett, James P. (ed.) *Proceedings of the 1st Biennial Southern Silvicultural Research Conference*, 1980 November 6-7; Atlanta, GA. General Technical Report SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service: 389-393.
18. Simon, J.C. and Woeste, F.E. (1980) "A system-independent numerical method to obtain maximum likelihood estimates of the three parameter Weibull distribution." *Transactions of the American Society of Agricultural Engineers*, 23(4): 955-963.
19. Strub, M.R., Feduccia, D.P. and Baldwin, V.C., Jr. (1980) "A diameter distribution method useful in compatible growth and yield modeling of thinned stands." In Barnett, J. P. (ed.) *Proceedings of the 1st Biennial Southern Silvicultural Research Conference*, 1980 November 6-7; Atlanta, GA. General Technical Report SO-34. New Orleans, LA: U.S. Department of Agriculture, Forest Service: 127-130.
20. García, O. (1981) "Simplified method-of-moments estimation for the Weibull distribution." *New Zealand Journal of Forestry Science*, 11(3): 304-306.
21. Green, E.J. and Burkhart, H.E. (1981) "Models of stand basal area distributions and height-diameter relationships for loblolly pine." *Loblolly Pine Growth and Yield Research Cooperative Report No. 12*, 5 pages.
22. Michelakackis, J.E. and Cunia, T. (1981) "Predicting future tree diameters in New York State." Paper presented at the In-Place Resource Inventories: Principles and Practices, A National Workshop, 1981 August 9-14. University of Maine, Orono, ME: 956-962.

23. Murphy, P.A. and Farrar, R.M. (1981) "A test of the exponential distribution for stand structure definition in uneven-aged loblolly-shortleaf pine stands." *U.S. Department of Agriculture Forest Service Research Paper SO-164*, 4 pages. Southern Forest Experiment Station, New Orleans, LA.
24. Scott, D.W. and Factor, L.E. (1981) "Monte Carlo study of three data-based nonparametric probability density estimators." *Journal of the American Statistical Association*, 76(373, Applications Section): 9-15.
25. Silverman, B.W. (1981) "Density estimation for univariate and bivariate data." In Barnett, V. (ed.) *Interpreting Multivariate Data*, pp37-53, Wiley, Chichester.
26. Cao, Q.V. (1982) "A segmented diameter distribution method for modeling thinned stands." In Jones, E.P., Jr. (ed.) *Proceedings of the Second Biennial Southern Silvicultural Research Conference*, 1982 November 4-5; Atlanta, GA. General Technical Report SE-24. Asheville, NC: U.S. Department of Agriculture, Forest Service: 325-328.
27. Cao, Q.V., Burkhart, H.E. and Lemin, R.C., Jr. (1982) "Diameter distributions and yields of thinned loblolly pine plantations." *School of Forestry and Wildlife Resources Publication No. FWS-1-82*, 62 pages. Virginia Polytechnic Institute and State University, Blacksburg, VA.
28. Chapman, R.C. and Weatherhead, D. (1982) "Some mensurational formulas associated with balanced diameter distributions." Draft manuscript, 10 pages.
29. Cohen, A.C. and Whitten, B. (1982) "Modified maximum likelihood and modified moment estimators for the three-parameter Weibull distribution." *Communications in Statistics – Theory and Methods*, 11(23): 2631-2656.
30. Cohen, A.C. and Whitten, B. (1982) "Modified moment and maximum likelihood estimators for parameters of the three-parameter Gamma distribution." *Communications in Statistics – Simulation and Computation*, 11(2): 197-216.
31. Matney, T.G. and Sullivan, A.D. (1982) "Approximating thinned stand diameter distributions with statistical probability functions." In Jones, E.P., Jr. (ed.) *Proceedings of the Second Biennial Southern Silvicultural Research Conference*, 1982 November 4-5; Atlanta, GA. General Technical Report SE-24. Asheville, NC: U.S. Department of Agriculture, Forest Service: 315-324.
32. Monness, E.N. (1982) "Diameter distributions and height curves in even-aged stands of *Pinus Sylvestris L.*" *Reports of the Norwegian Forest Research Institute 96.15*, 43 pages. Norsk Institutt for Skogforskning (Norwegian Forest Research Institute), Norway.
33. Zutter, B.R., Oderwald, R.G., Farrar, R.M., Jr. and Murphy, P.A. (1982) "WEIBUL: a program to estimate parameters of forms of the Weibull distribution using complete, censored, and truncated data." *School of Forestry and Wildlife Resources Publication*

No. FWS-3-82, 17 pages. Virginia Polytechnic Institute and State University, Blacksburg, VA.

34. Hilt, D.E. (1983) "Individual-tree diameter growth model for managed, even-aged, upland oak stands." *U.S. Department of Agriculture Forest Service Research Paper NE-533*, 15 pages. Northeastern Forest Experiment Station, Broomall, PA.
35. Burk, T.E. and Newberry, J.D. (1984) "A simple algorithm for moment-based recovery of Weibull distribution parameters." *Forest Science*, 30(2): 329-332.
36. Cohen, A.C., Whitten, B.J. and Ding, Y. (1984) "Modified moment estimation for the three-parameter Weibull distribution." *Journal of Quality Technology*, 16(3): 159-167.
37. Cohen, A.C., Whitten, B.J. (1985) "Modified moment estimation for the three-parameter inverse Gaussian distribution." *Journal of Quality Technology*, 17(3): 147-154.
38. Cohen, A.C., Whitten, B.J. and Ding, Y. (1985) "Modified moment estimation for the three-parameter lognormal distribution." *Journal of Quality Technology*, 17(2): 159-167.
39. M'Hirit, O. and Postaire, J.G. (1985) "A nonparametric technique for taper function estimation." *Canadian Journal of Forest Research*, 15: 862-871.
40. Scott, D.W. (1985) "Frequency polygons: theory and applications." *Journal of the American Statistical Association*, 80(390, Theory and Methods): 348-354.
41. Shifley, S. and Lentz, E. (1985) "Quick estimation of the three-parameter Weibull to describe tree size distributions." *Forest Ecology and Management*, 13: 195-203.
42. Cao, Q.V. (1986) "Recovering diameter distribution from Schumacher and Coile's model for loblolly pine natural stands." In *Proceedings of the Southern Silvicultural Research Conference*, 1986 November 4-6; Atlanta, GA. General Technical Report SE-42. U.S. Department of Agriculture, Forest Service: 514-517
43. Cohen, A.C. and Whitten, B.J. (1986) "Modified moment estimation for the three-parameter Gamma distribution." *Journal of Quality Technology*, 18(1): 53-62.
44. Hopkins, W.E. (1986) "A comparison of the growth basal area stocking level curve to a number of curves developed from south central Oregon tree data." *Canadian Journal of Forest Research*, 16: 508-512.
45. Kilkki, P. and Paivinen, R. (1986) "Weibull function in the estimation of the basal area dbh-distribution." *Silva Fennica*, 20(2): 149-156.
46. Mowrer, H.T. (1986) "ASPNORM: a normal diameter distribution growth and yield model for aspen in the central Rocky Mountains." *U.S. Department of Agriculture Forest Service Research Paper RM-264*, 12 pages. Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.

47. Naito, K. (1986) "Development of forest stand and distribution functions of its variables." Presentation at the 18th IUFRO World Congress, Ljubljana, Yugoslavia, 1986 September 7-21. 7 pages.
48. Van Deusen, P.C. (1986) "Fitting assumed distributions to horizontal point sample diameters." *Forest Science*, 32(1): 146-148.
49. Zutter, B.R., Oderwald, R.G., Murphy, P.A. and Farrar, R.M., Jr. (1986) "Characterizing diameter distributions with modified data types and forms of the Weibull distribution." *Forest Science*, 32(1): 37-48.
50. Baldwin, V.C., Jr. and Feduccia, D.P. (1987) "Loblolly pine growth and yield prediction for managed West Gulf plantations." *U.S. Department of Agriculture Forest Service Research Paper SO-236*, 27 pages. Southern Forest Experiment Station, New Orleans, LA.
51. Borders, B.E., Souter, R.A., Bailey, R.L. and Ware, K.D. (1987) "Percentile-based distributions characterize forest stand tables." *Forest Science*, 33(2): 570-576.
52. Kline, D.E., Bender, D.A. and Nieber, J.L. (1987) "Modified regression approach for modeling probability distributions." *Transactions of the American Society of Agricultural Engineers*, 30(3): 697-702.
53. McTague, J.P. and Bailey, R.L. (1987) "Compatible basal area and diameter distribution models for thinned loblolly pine plantations in Santa Catarina, Brazil." *Forest Science*, 33(1): 43-51.
54. Pukkala, T. and Kolström, T. (1987) "Competition indices and the prediction of radial growth in Scots pine." *Silva Fennica*, 21(1): 55-67.
55. Wensel, L.C., Meerschaert, W.J., Biging, G.S. (1987) "Tree height and diameter growth models for Northern California conifers." *Hilgardia*, 55(8): 1-18.
56. Dolph, K.L. (1988) "Prediction of periodic basal area increment for young-growth mixed conifers in the Sierra Nevada." *U.S. Department of Agriculture Forest Service Research Paper PSW-190*, 20 pages. Pacific Southwest Forest and Range Experiment Station, Berkeley, CA.
57. Lenhart, J.D. (1988) "Diameter-distribution yield-prediction system for unthinned loblolly and slashed pine plantations on non-old-fields in East Texas." *Southern Journal of Applied Forestry*, 12(4): 239-242.
58. MacLean, C.D. and Scott, C.T. (1988) "Interpolating current annual growth from two DBH measurements." In *Proceedings, IUFRO Forest Growth Modelling and Prediction Conference*, 1987 August 23-27; Minneapolis, MN. General Technical Report NC-120. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1118-1123.

59. Nelson, L.S. (1988a) "Notes on the histogram: I. Equal class intervals." *Journal of Quality Technology*, 20(3): 211-213
60. Nelson, L.S. (1988b) "Notes on the histogram: II. Unequal class intervals." *Journal of Quality Technology*, 20(4): 273-275.
61. Newton, P.F. and Smith, V.G. (1988) "Diameter distributional trends within mixed black-spruce/balsam-fir and pure black-spruce stand types." *Forest Ecology and Management*, 25: 123-138.
62. Pukkala, T. (1988) *Studies on the Effect of Spatial Distribution of Trees on the Diameter Growth of Scots Pine*. Joensuu: University of Joensuu. 38 pages.
63. Reynolds, M.R., Jr., Burk, T.E. and Huang, W.-C. (1988) "Goodness-of-fit tests and model selection procedures for diameter distribution models." *Forest Science*, 34(2): 373-399.
64. Thisted, R.A. (1988) *Elements of Statistical Computing*. New York: Chapman and Hall. (pp337-361).
65. Droessler, T.D. and Burk, T.E. (1989) "A test of nonparametric smoothing of diameter distributions." *Scandinavian Journal of Forest Research*, 4: 407-415.
66. Pukkala, T. (1989) "Predicting diameter growth in even-aged Scots pine stands with a spatial and non-spatial model." *Silva Fennica*, 23(2): 101-116.
67. Zeide, B. (1989) "Accuracy of equation describing diameter growth." *Canadian Journal of Forest Research*, 19: 1283-1286.
68. Borders, B.E. and Patterson, W.D. (1990) "Projecting stand tables: a comparison of the Weibull diameter distribution method, a percentile-based projection method, and a basal area growth projection method." *Forest Science*, 36(2): 413-424.
69. Grender, J.M., Dell, T.R. and Reich, R.M. (1990) "Theory and derivation for Weibull parameter probability weighted moment estimators." *U.S. Department of Agriculture Forest Service Research Paper SO-260*, 19 pages. Southern Forest Experiment Station, New Orleans, LA.
70. Kline, D.E. and Bender, D.A. (1990) "Maximum likelihood estimation for shifted Weibull and lognormal distributions." *Transactions of the American Society of Agricultural Engineers*, 33(1): 330-335.
71. Park, B.U. and Marron, J.S. (1990) "Comparison of data-driven bandwidth selectors." *Journal of the American Statistical Association*, 85(409): 66-72.
72. Wykoff, W.R. (1990) "A basal area increment model for individual conifers in the Northern Rocky Mountains." *Forest Science*, 36(4): 1077-1104.

73. Bai, J., Jakeman, A.J. and McAleer, M. (1991) "A new approach to maximum likelihood estimation of the three-parameter Gamma and Weibull distributions." *Australian Journal of Statistics*, 33(3): 397-410.
74. Murray, D.M. and von Gadow, K. (1991) "Relationships between the diameter distributions before and after thinning." *Forest Science*, 37(2): 552-559.
75. Hann, D.W. and Larsen, D.R. (1991) "Diameter growth equations for fourteen tree species in Southwest Oregon." Research Bulletin 69, 18 pages. Forest Research Laboratory, Oregon State University, Corvallis, OR.
76. Izenman, A.J. (1991) "Recent developments in nonparametric density estimation." *Journal of the American Statistical Association*, 86(413): 205-224.
77. Knoebel, B.R. and Burkhart, H.E. (1991) "A bivariate distribution approach to modeling forest diameter distributions at two points in time." *Biometrics*, 47: 241-253.
78. Schmid, J.M., Mata, S.A. and Edminster, C.B. (1991) "Periodic annual increment in basal area and diameter growth in partial cut stands of ponderosa pine." *U.S. Department of Agriculture Forest Service Research Note RM-509*, 3 pages. Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.
79. Smith, N. and Northway, S. (1991) "A top-down diameter distribution with compatible tops and bottoms." Research paper, 12 pages. Nanaimo, British Columbia: MacMillan Bloedel Ltd. With handwritten notes.
80. Vanclay, J.K. (1991a) "Aggregating tree species to develop diameter increment equations for tropical rainforests." *Forest Ecology and Management*, 42: 143-168.
81. Vanclay, J.K. (1991b) "Compatible deterministic and stochastic predictions by probabilistic modeling of individual trees." *Forest Science*, 37(6): 1656-1663.
82. Zarnoch, S.J., Feduccia, D.P., Baldwin, V.C., Jr. and Dell, T.R. (1991) "Growth and yield predictions for thinned and unthinned slash pine plantations on cutover sites in the West Gulf region." *U.S. Department of Agriculture Forest Service Research Paper SO-264*, 32 pages. Southern Forest Experiment Station, New Orleans, LA.
83. Altman, N.S. (1992) "An introduction to kernel and nearest-neighbor nonparametric regression." *The American Statistician*, 46(3): 175-185.
84. Biging, G.S. and Dobbertin, M. (1992) "A comparison of distance-dependent competition measures for height and basal area growth of individual conifer trees." *Forest Science*, 38(3): 695-720.
85. Brooks, J.R., Borders, B.E. and Bailey, R.L. (1992) "Predicting diameter distributions for site-prepared loblolly and slash pine plantations." *Southern Journal of Applied Forestry*, 16(3): 130-133.

86. García, O. (1992a) "Sampling for tree-ring analysis." In Wood, G. and Turner, B. (eds.) *Integrating Forest Information Over Space and Time — IUFRO Conference, 13–17 January 1992, Canberra, Australia*. Canberra, Australia: ANUTECH Pty Ltd: 110-122.
87. García, O. (1992b) "What is a diameter distribution?" In Minowa, M. and Tsuyuki, S. (eds.) *Proceedings of the Symposium on Integrated Forest Management Information Systems*. Tokyo, Japan: Japan Society of Forest Planning Press: 11-29.
88. Harrington, T.B. and Tappeiner, J.C. II (1992) "Predicting crown sizes and diameter distributions of Tanoak, Pacific Madrone, and Giant Chinkapin Sprout Clumps." *Western Journal of Applied Forestry*, 7(4): 103-108.
89. Howard, A.F. and Valerio, J. (1992) "A diameter class growth model for assessing the sustainability of silvicultural prescriptions in natural tropical forests." *Commonwealth Forestry Review*, 71(3/4): 171-177.
90. Kuru, G.A., Whyte, A.G.D. and Woollons, R.C. (1992) "Utility of reverse Weibull and extreme value density functions to refine diameter distribution growth estimates." *Forest Ecology and Management*, 48: 165-174.
91. Lynch, T.B. and Huebschmann, M.M. (1992) "Estimating diameter increment by DBH class with horizontal point sampling data." *Forest Ecology and Management*, 51: 285-299.
92. Parresol, B.R. (1992) "Baldcypress height-diameter equations and their prediction confidence intervals." *Canadian Journal of Forest Research*, 22: 1429-1434.
93. Whyte, A.G.D. and Woollons, R.C. (1992) "Diameter distribution growth and yield modelling: recent revisions and perspectives." In Wood, G. and Turner, B. (eds.) *Integrating Forest Information Over Space and Time — IUFRO Conference, 13–17 January 1992, Canberra, Australia*. Canberra, Australia: ANUTECH Pty Ltd: 89-93.
94. Chai, F.Y.C. and LeMay, V.M. (1993) "Development and testing of diameter increment models for mixed swamp forests of Sarawak." *Forest Ecology and Management*, 58: 51-64.
95. Newberry, J.D., Moore, J.A. and Zhang, L. (1993) "Evaluation of simple quantile estimation functions for modeling forest diameter distributions in even-aged stands of interior Douglas-fir." *Canadian Journal of Forest Research*, 23: 2376-2382.
96. Ojansuu, R. (1993) "Prediction of Scots pine increment using a multivariate variance component model. *Acta Forestalia Fennica*, 239. Helsinki: The Society of Forestry in Finland and The Finnish Forest Research Institute. 72 pages.
97. Söderberg, U., Ranneby, B. and Li, C. (1993) "A diameter growth index method for standardization of forest data inventoried at different dates." *Scandinavian Journal of Forest Research*, 8: 418-425.

98. Zumrawi, A.A. and Hann, D.W. (1993) "Diameter growth equations for Douglas-fir and Grand Fir in the Western Willamette Valley of Oregon." Research Contribution 4, 6 pages. Forest Research Laboratory, Oregon State University, Corvallis, OR.
99. Droessler, T.D. and Burk T.E. (1994) "Modeling individual tree growth using temporary plot records: evaluation of a non-parametric diameter distribution based method." *Forest Ecology and Management*, 68: 325-338.
100. Green, E.J., Roesch, F.A., Jr., Smith, A.F.M. and Strawderman, W.E. (1994) "Bayesian estimation for the three-parameter Weibull distribution with tree diameter data." *Biometrics*, 50: 254-269.
101. Lockhart, R.A. and Stephens, M.A. (1994) "Estimation and tests of fit for the three-parameter Weibull distribution." *Journal of the Royal Statistical Society-Series B*, 56(3): 491-500.
102. Matney, T.G. and Belli, K.L. (1994) "A weighted least squares diameter moment recovery system for cut over site prepared loblolly pine plantations." In Edwards, M.B. (compiler) *Proceedings of the Eighth Biennial Southern Silvicultural Research Conference*, 1994 November 1-3; Auburn, AL. General Technical Report SRS-1. Asheville, NC: U.S. Department of Agriculture, Forest Service: 182-191.
103. Quicke, H.E., Meldahl, R.S. and Kush, J.S. (1994) "Basal area growth of individual trees: a model derived from a regional longleaf pine growth study." *Forest Science*, 40(3): 528-542.
104. King, G. (1995), email containing written code for estimation of a nonparametric bi-dimensional density function using the normal density function as kernel.

Thompson, T.S. (1995), email containing implementations of univariate kernel estimation via fast fourier transform.
105. Maltamo, M., Puumalainen, J. and Päivinen, R. (1995) "Comparison of Beta and Weibull functions for modelling basal area diameter distribution in stands of *Pinus sylvestris* and *Picea abies*." *Scandinavian Journal of Forest Research*, 10: 284-295.
106. Visser, H. (1995) "Note on the relation between ring widths and basal area increments." *Forest Science*, 41(2): 297-304.
107. Fleming, R.A. (1996) "Better derivations and an improvement for the specific increment equations of tree growth." *Canadian Journal of Forest Research*, 26: 624-626.
108. Jones, M.C., Marron, J.S. and Sheather, S.J. (1996) "A brief survey of bandwidth selection for density estimation." *Journal of the American Statistical Association*, 91(433): 401-407.

109. Monserud, R.A. and Sterba, H. (1996) "A basal area increment model for individual trees growing in even- and uneven-aged forest stands in Austria." *Forest Ecology and Management*, 80: 57-80.
110. Mudholkar, G.S., Srivastava, D.K. and Kollia, G.D. (1996) "A generalization of the Weibull distribution with application to the analysis of survival data." *Journal of the American Statistical Association*, 91(436): 1575-1583.
111. Penner, M. and Deblonde, G. (1996) "The relationship between leaf area and basal area growth in jack and red pine trees." *The Forestry Chronicle*, 72(2): 170-175.
112. Cao, Q.V. (1997) "A method to distribute mortality in diameter distribution models." *Forest Science*, 43(3): 435-442.
113. Chojnacky, D.C. (1997) "Modeling diameter growth for pinyon and juniper trees in dryland forests." *Forest Ecology and Management*, 93: 21-31.
114. Hökkä, H., Alenius, V., Penttilä, T. (1997) "Individual-tree basal area growth models for Scots pine, pubescent birch and Norway spruce on drained peatlands in Finland." *Silva Fennica*, 31(2): 161-178.
115. Knowe, S.A., Ahrens, G.R. and DeBell, D.S. (1997) "Comparison of diameter-distribution-prediction, stand-table-projection, and individual-tree-growth modeling approaches for young red alder plantation." *Forest Ecology and Management*, 98: 49-60.
116. Ritchie, M.W. and Hann, D.W. (1997) "Evaluation of individual-tree and disaggregative prediction methods for Douglas-fir stands in western Oregon." *Canadian Journal of Forest Research*, 27: 207-216.
117. Tang, S., Wang, Y., Zhang, L. and Meng, C.-H. (1997) "A distribution-independent approach to predicting stand diameter distribution." *Forest Science*, 43(4): 491-500.
118. Zhang, S., Amateis, R.L. and Burkhart, H.E. (1997) "Constraining individual tree diameter increment and survival models for loblolly pine plantations." *Forest Science*, 43(3): 414-423.
119. Condit, R., Sukumar, R., Hubbell, S.P. and Foster, R.B. (1998) "Predicting population trends from size distributions: a direct test in a tropical tree community." *The American Naturalist*, 152(4): 495-509.
120. Doruska, P.F. and Mays, J.E. (1998) "Crown profile modeling of loblolly pine by nonparametric regression analysis." *Forest Science*, 44(3): 445-453.
121. Murphy, P.A. and Graney, D.L. (1998) "Individual-tree basal area growth, survival, and total height models for upland hardwoods in the Boston Mountains of Arkansas." *Southern Journal of Applied Forestry*, 22(3): 184-192.

122. Kudus, K.A., Ahmad, M.I. and Lapongan, J. (1999) "Nonlinear regression approach to estimating Johnson S_B parameters for diameter data." *Canadian Journal of Forest Research*, 29: 310-314.
123. Radtke, P.J. and Burkhart, H.E. (1999) "Basal area growth and crown closure in a loblolly pine spacing trial." *Forest Science*, 45(1): 35-44.
124. Siipilehto, J. (1999) "Improving the accuracy of predicted basal-area diameter distribution in advanced stands by determining stem number." *Silva Fennica*, 33(4): 281-301.
125. Kangas, A. and Maltamo, M. (2000a) "Percentile based basal area diameter distribution models for Scots pine, Norway spruce and birch species." *Silva Fennica*, 34(4): 371-380.
126. Kangas, A. and Maltamo, M. (2000b) "Performance of percentile based diameter distribution prediction and Weibull method in independent data sets." *Silva Fennica*, 34(4): 381-398.
127. Maltamo, M., Kangas, A., Uuttera, J., Tornainen, T. and Saramäki, J. (2000) "Comparison of percentile based prediction methods and the Weibull distribution in describing the diameter distribution of heterogeneous Scots pine stand." *Forest Ecology and Management*, 133: 263-274.
128. Siipilehto, J. (2000) "A comparison of two parameter prediction methods for stand structure in Finland." *Silva Fennica*, 34(4): 331-349.
129. Bragg, D.C. (2001a) "Potential relative increment (PRI): a new method to empirically derive optimal tree diameter growth." *Ecologically Modelling*, 137: 77-92.
130. Bragg, D.C. (2001b) "The efficacy of using inventory data to develop optimal diameter increment models." In McRoberts, R.E., Reams, G.A., Deusen, P.C.V. and Moser, J.W. (eds.) *Proceedings of the Third Annual Forest Inventory and Analysis Symposium*, 2001 October 17-19; Traverse City, Michigan.
131. Leak, W.B. (2001) "Origin of sigmoid diameter distributions." *U.S. Department of Agriculture Forest Service Research Paper NE-718*, 10 pages. Northeastern Research Station, Newton Square, PA.
132. Leduc, D.J., Matney, T.G., Belli, K.L. and Baldwin, V.C., Jr. (2001) "Predicting diameter distributions of longleaf pine plantations: a comparison between artificial neural networks and other accepted methodologies." *U.S. Department of Agriculture Forest Service Research Paper SRS-25*, 18 pages. Southern Research Station, Asheville, NC.
133. Lessard, V.C., McRoberts, R.E. and Holdaway, M.R. (2001) "Diameter growth models using Minnesota Forest Inventory and Analysis data." *Forest Science*, 47(30): 301-310.

134. Rose, C.E., Jr. and Lynch, T.B. (2001) "Estimating parameters for tree basal area growth with a system of equations and seemingly unrelated regressions." *Forest Ecology and Management*, 148: 51-61. (In SUR folder also)
135. Zhang, L., Gove, J.H., Liu, C. and Leak, W.B. (2001) "A finite mixture of two Weibull distributions for modeling the diameter distributions of rotated-sigmoid, uneven-aged stands." *Canadian Journal of Forest Research*, 31: 1654-1659.
136. Zucchini, W., Schmidt, M. and Gadow, K. von. (2001) "A model for the diameter-height distribution in an uneven-aged beech forest and a method to assess the fit of such models." *Silva Fennica*, 35(2): 169-183.
137. Bragg, D.C. (2002) "A system to derive optimal tree diameter increment models from the Eastwide Forest Inventory Data Base (EFIDB)." *Southern Journal of Applied Forestry*, 26(4): 214-221.
138. Bragg, D.C. and Guldin, J.M. (2002) "Differences in optimal growth equations for white oak in the interior highlands." In Van Sambeek, J.W., Dawson, J.O., Ponder, F., Jr., Loewenstein, E.F., Fralish, J.S. (eds.) *Proceedings, 13th Central Hardwood Forest Conference*, 2002 April 1-3; Urbana, IL. General Technical Report NC-324. St. Paul, MN: U.S. Department of Agriculture Forest Service, North Central Research Station: 361-366.
139. Hann, D.W. and Hanus, M.L. (2002) "Enhanced diameter-growth-rate equations for undamaged and damaged trees in Southwest Oregon." Research Contribution 39, 54 pages. Forest Research Laboratory, Oregon State University, Corvallis, OR.
140. Mabvurira, D., Maltamo, M. and Kangas, A. (2002) "Predicting and calibrating diameter distributions of *Eucalyptus grandis* (Hill) Maiden plantations in Zimbabwe." *New Forests*, 23: 207-223.
141. Moran, L.A. and Williams, R.A. (2002) "Comparison of three dendrometers in measuring diameter at breast height." *Northern Journal of Applied Forestry*, 19(1): 28-33.
142. Puumalainen, J., Maltamo, M. and Kangas, A. (2002) "Calibrating predicted diameter distribution with additional information for structurally diverse forest stands." In von Gadow, K., Nagel, J. and Saborowski, J. (eds.) *Continuous Cover Forestry*:107-121. Dordrecht: Kluwer Academic Publishers.
143. Tarp-Johansen, M.J. (2002) "Stem diameter estimation from aerial photographs." *Scandinavian Journal of Forest Research*, 17: 369-376.
144. Bragg, D.C. (2003) "Optimal diameter growth equations for major tree species of the midsouth." *Southern Journal of Applied Forestry*, 27(1): 5-10.
145. Cao, Q.V. (2004) "Predicting parameters of a Weibull function for modeling diameter distribution." *Forest Science*, 50(5): 682-685.

146. Maltamo, M., Eerikäinen, Pitkänen, Hyypä, J. and Vehmas, M. (2004) "Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions." *Remote Sensing of Environment*, 90: 319-330.
147. Mehtätalo, L. (2004) "An algorithm for ensuring compatibility between estimated percentiles of diameter distribution and measured stand variables." *Forest Science*, 50(1): 20-32.
148. Corrections for Ricker, M. and del Rio, R. (2004) "Projecting diameter growth in tropical trees: a new modeling approach." *Forest Science*, 50(2): 213-224.
- Corrections for Prestemon, J.P. and Holmes, T.P. (2004) "Market dynamics and optimal timber salvage after a natural catastrophe." *Forest Science*, 50(4): 495-511.
149. Robinson, A. (2004) "Preserving correlation while modeling diameter distributions." *Canadian Journal of Forest Research*, 34: 221-232.
150. García, O. (2005) "Distributions and spatial structure." Draft for the proceedings of the IUFRO Conference, "Sustainable Forestry in Theory and Practice: Recent Advances in Inventory and Monitoring, Statistics and Modelling, Information and Knowledge Management, and Policy Science, Edinburgh, 2005 April 5-8.
151. Gobakken, T. and Næsset, E. (2005) "Weibull and percentile models for lidar-based estimation of basal area distribution." *Scandinavian Journal of Forest Research*, 20: 490-502.
152. Mehtätalo, L. (2005) "Localizing a predicted diameter distribution using sample information." *Forest Science*, 51(4): 292-303.
153. Rennolls, K. and Wang, M. (2005) "A new parameterization of Johnson's S_B distribution with application to fitting forest tree diameter data." *Canadian Journal of Forest Research*, 35: 575-579.
154. Wang, M. and Rennolls, K. (2005) "Tree diameter distribution modeling: introducing the logit-logistic distribution." *Canadian Journal of Forest Research*, 35: 1305-1313.
155. Coomes, D.A. and Allen, R.B. (2006) "Mortality and tree-size distributions in natural mixed-age forests." *Journal of Ecology*, 95: 27-40.
156. Lee, Y.-J. and Coble, D.W. (2006) "A new diameter distribution model for unmanaged loblolly pine plantations in East Texas." *Southern Journal of Applied Forestry*, 30(1): 13-20.
157. Mehtätalo, L., Maltamo, M. and Kangas, A. (2006) "The use of quantile trees in the prediction of the diameter distribution of a stand." *Silva Fennica*, 40(3): 501-516.