

Last revised: February 2007

**HETEROSCEDASTICITY, BIBLIOGRAPHY**  
**1937-Present** (?? entries)

1. Cochran, W.G. (1937). Problems arising in the analysis of a series of similar experiments. *Journal of the Royal Statistical Society*, Supplement Vol. IV, 1: 102-118.
2. Yates, F. & Cochran, W.G. (1938). The analysis of groups of experiments. *Journal of Agricultural Science*, XXVIII(IV): 556-280.
3. Bartlett, M.S. & Kendall, D.G. (1946). The statistical analysis of variance-heterogeneity and the logarithmic transformation. *Supplement to the Journal of the Royal Statistical Society-Series B* 8(1): 128-138.
4. Bartlett, M.S. (1947). The use of transformations. *Biometrics* 3: 39-53.
5. Freeman, M.F. & Tukey, J.W. (1950). Transformations related to the angular and the square root. *Annals of Mathematical Statistics* 21: 607-611.
6. Theil, H. (1951). Estimates and their sampling variance of parameters of certain heteroscedastic distributions. *International Statistical Institute Review* 19: 141-147.
7. David, H.A. (1956). The ranking of variances in normal populations. *Journal of the American Statistical Association* 51: 621-626.
8. Tukey, J.W. (1956). On the comparative anatomy of transformations. *Annals of Mathematical Statistics* 27(3): 602-632.
9. Scheffe, H. (1959). *Analysis of Variance*. New York: John Wiley & Sons. (pp.339-345, 351-369)
10. Levene, H. (1960). Robust tests for equality of variances. In J. Olkin (ed.), *Contributions to Probability and Statistics* (pp.278-292). Palo Alo, California: Stanford University Press.
11. Imhof, J.P. (1961). Computing the distribution of quadratic forms in normal variables. *Biometrika* 48(3 and 4): 419-426.
12. Mandel, J. (1964). Estimation of weighting factors in linear regression and analysis of variance. *Technometrics* 6(1): 1-25.
13. Goldfeld, S.M. & Quandt, R.E. (1965). Some tests for homoscedasticity. *Journal of the American Statistical Association* 60(310): 539-547.
14. Geary, R.C. (1966). A note on residual heterovariance and estimation efficiency in regression. *The American Statistician* 20(4): 30-31.

15. Park, R.E. (1966). Estimation with heteroscedastic error terms. *Econometrica* 34(4): 888.
16. Williams, J.S. (1967). The variance of weighted regression estimators. *Journal of the American Statistical Association* 62(320): 1290-1301.
17. Jacquez, J.A., Mather, F.J. & Crawford, C.R. (1968). Linear regression with non-constant, unknown error variances: sampling experiments with least squares and maximum likelihood estimators. *Biometrics* 24(3): 607-626.
18. Kruskal, J. (1968). Transformations of data. *International Encyclopedia of the Social Sciences* 15: 182-192.
19. Rutenmiller, H.C. & Bowers, D.A. (1968). Estimation in a heteroscedastic regression model. *Journal of the American Statistical Association* 63(322): 552-557.
20. Swindel, B.F. (1968). On the bias of some least-squares estimators of variance in a general linear model. *Biometrika* 55(2): 313-316.
21. Bement, T.R. & Williams, J.S. (1969). Variance of weighted regression estimators when sampling errors are independent and heteroscedastic. *Journal of the American Statistical Association* 64(328): 1369-1382.
22. Glejser, H. (1969). A new test for heteroskedasticity. *Journal of the American Statistical Association* 64(325): 316-323.
23. Chew, V. (1970). Covariance matrix estimation in linear models. *Journal of the American Statistical Association* 65(329): 173-181.
24. Rao, C.R. (1970). Estimation of heteroscedastic variances in linear models. *Journal of the American Statistical Association* 65(329): 161-172.
25. Rao, J.N.K. & Subrahmaniam, K. (1971). Combining independent estimators and estimation in linear regression with unequal variances. *Biometrics* 27: 971-990.
26. Games, P.A., Winkler, H.B. & Probert, D.A. (1972). Robust tests for homogeneity of variance. *Educational and Psychological Measurement* 32: 887-909.
27. Ghosh, B.K. (1972). On Lehmann's Test for homogeneity of variances. *Journal of the Royal Statistical Society—Series B* 34(2): 221-234.
28. Goldfield, S.M. & Quandt, R.E. (1972). *Nonlinear methods in econometrics*. Amsterdam: North-Holland. (pp.78-123)
29. Hall, J. (1972). Some comparisons of tests for equality of variances. *Journal of Statistical Computation and Simulation* 1: 183-194.

30. Amemiya, T. (1973). Regression analysis when the variance of the dependent variable is proportional to the square of its expectation. *Journal of the American Statistical Association* 68(344): 928-934.
31. Hartley, H.O. & Jayatilake, K.S.E. (1973). Estimation for linear models with unequal variances. *Journal of the American Statistical Association* 68(341): 189-192.
32. Hoyle, M.H. (1973). Transformations—An introduction and a bibliography. *International Statistical* 41(2): 203-223.
33. Layard, M.W.J. (1973). Robust large-sample tests for homogeneity of variances. *Journal of the American Statistical Association* 68(341): 195-198.
34. Rao, J.N.K. (1973). On the estimation of heteroscedastic variances. *Biometrics* 29(1): 11-24.
35. Brown, M.B. & Forsythe, A.B. (1974). Robust tests for the equality of variances. *Journal of the American Statistical Association* 69(346): 364-367.
36. Sathe, S.T. & Vinod, H.D. (1974). Bounds on the variance of regression coefficients due to heteroscedastic or autoregressive errors. *Econometrica* 42(2): 333-340.
37. Seegrist, D.W. (1974). Weighted regression analysis and interval estimators. *USDA Forest Service, Northeastern Forest and Experiment Station Research Note NE-195*.
38. Toyoda, T. (1974). Use of the Chow test under heteroscedasticity. *Econometrica* 42(3): 601-608.
39. Zarembka, P. (1974). Transformation of variables in econometrics. In P. Zarembka (ed.) *Frontiers in Econometrics* (pp.81-142). New York: Academic Press.
40. Bloomfield, P. & Watson, G.S. (1975). The inefficiency of least squares. *Biometrika* 62(1): 121-128.
41. Hinkley, D.V. (1975). On power transformations to symmetry. *Biometrika* 62(1): 101-111.
42. Horn, S.D. & Horn, R.A. (1975). Comparison of estimators of heteroscedastic variances in linear models. *Journal of the American Statistical Association* 70(352): 872-879.
43. Horn, S.D., Horn, R.A. & Duncan, D.B. (1975). Estimating heteroscedastic variances in linear models. *Journal of the American Statistical Association* 70(350): 380-385.
44. Knott, M. (1975). On the minimum efficiency of least squares. *Biometrika* 62(1): 129-132.

45. Williams, J.S. (1975). Lower bounds on convergence rates of weighted least squares to best linear unbiased estimators. In J.N. Srivastava (ed.) *A Survey of Statistical Design and Linear Models* (555-570). Netherlands: North-Holland.
46. Chaubey, Y.P. & Rao, P.S.R.S. (1976). Efficiencies of five estimators for the parameters of two linear models with unequal variances. *Sankhya* 38(B,4): 364-370.
47. Harvey, A.C. (1976). Estimating regression models with multiplicative heteroscedasticity. *Econometrica* 44(3): 461-465.
48. Amemiya, T. (1977). A note on a heteroscedastic model. *Journal of Econometrics* 6: 365-370.
49. Epps, T.W. & Epps, M.L. (1977). The robustness of some standard tests for autocorrelation and heteroskedasticity when both problems are present. *Econometrica* 45(3): 745-753.
50. Jayatissa, W.A. (1977). Tests of equality between sets of coefficients in two linear regressions when disturbance variances are unequal. *Econometrica* 45(5): 1291-1292.
51. Schmidt, P. & Sickles, R. (1977). Some further evidence on the use of the Chow Test under heteroskedasticity. *Econometrica* 45(5): 1293-1298.
52. Bickel, P.J. (1978). Using residuals robustly I: tests for heteroscedasticity, nonlinearity. *The Annals of Statistics* 6(2): 266-291.
53. Brown, K.G. (1978). Estimation of variance components using residuals. *Journal of the American Statistical Association* 73(361): 141-146.
54. Fuller, W.A. & Rao, J.N.K. (1978). Estimation for a linear regression model with unknown diagonal covariance matrix. *The Annals of Statistics* 6(5): 1149-1158.
55. Godfrey, L.G. (1978). Testing for multiplicative heteroskedasticity. *Journal of Econometrics* 8: 227-236.
56. Just, R.E. & Pope, R.D. (1978). Stochastic specification of production functions and economic implications. *Journal of Econometrics* 7: 67-86.
57. Breusch, T.S. & Pagan, A.R. (1979). A simple test for heteroscedasticity and random coefficient variation. *Econometrica* 47(5): 1287-1294.
58. Egy, D. & Lahiri, K. (1979). On maximum likelihood estimation of functional form and heteroskedasticity. *Economic Letters* 2: 155-159.
59. Keselman, H.J., Games, P.A. & Clinch, J.J. (1979). Tests for homogeneity of variance. *Journal of Statistical Computation and Simulation* B8(2): 113-129.
60. Swamy, P.A.V.B. & Mehta, J.S. (1979). Estimation of common coefficients in two

- regressions equations. *Journal of Econometrics* 10: 1-14.
61. Bradley, J.V. (1980). Nonrobustness in classical tests on means and variances: a large-scale sampling study. *Bulletin of the Psychonomic Society* 15(4): 275-278.
  62. Greenberg, E. (1980). Finite sample moments of a preliminary test estimator in the case of possible heteroscedasticity. *Econometrica* 48(7): 1805-1813.
  63. Jobson, J.D. & Fuller, W.A. (1980). Least squares estimation when the covariance matrix and parameter vector are functionally related. *Journal of the American Statistical Association* 75(369): 176-181.
  64. White, H. (1980). A heteroskedasticity-consistent covariance matrix estimator and a direct test for heteroskedasticity. *Econometrica* 48(4): 817-838.
  65. Aranda-Ordaz, F.J. (1981). On two families of transformations to additivity for binary response data. *Biometrika* 68(2): 357-363.
  66. Conover, W.J., Johnson, M.E. and Johnson, M.M. (1981). A comparative study of tests for homogeneity of variances, with applications to the outer continental shelf bidding data. *Technometrics* 23(4): 351-361.
  67. Good, I.J. (1981). Testing equality of variances in sampling from two normal populations. *Journal of Statistical Computation and Simulation* C86, 140-142.
  68. Hawkins, D.M. (1981). A new test for multivariate normality and homoscedasticity. *Technometrics* 23(1): 105-110.
  69. Koenker, R. (1981). A note on studentizing a test for heteroscedasticity. *Journal of Econometrics* 17: 107-112.
  70. Lahiri, K. & Egy, D. (1981). Joint estimation and testing for functional form and heteroskedasticity. *Journal of Econometrics* 15: 299-307.
  71. Vinod, H.D. & Ullah, A. (1981). Autoregressive moving average (ARMA) regression errors and heteroscedasticity. In *Recent Advances in Regression Methods* (pp.90-119). New York: Marcel Dekker.
  72. Carroll, R.J. (1982a). Adapting for heteroscedasticity in linear models. *The Annals of Statistics* 10(4): 1224-1233.
  73. Carroll, R.J. (1982b). Two examples of transformations when there are possible outliers. *Applied Statistics* 31(2): 149-152.
  74. Carroll, R.J. & Ruppert, D. (1982a). A comparison between maximum likelihood and generalized least squares in a heteroscedastic linear model. *Journal of the American Statistical Association* 77(380): 878-882.

75. Carroll, R.J. & Ruppert, D. (1982b). Robust estimation in heteroscedastic linear models. *The Annals of Statistics* 10(2): 429-441.
76. Cressie, N. (1982). Playing safe with misweighted means. *Journal of the American Statistical Association* 77(380): 754-759.
77. Currie, D.J. (1982). Estimating Michaelis-Menten parameters: bias, variance and experimental design. *Biometrics* 38: 907-919.
78. Cook, R.D. & Weisberg, S. (1983). Diagnostics for heteroscedasticity in regression. *Biometrika* 70(1): 1-10.
79. Cragg, J.G. (1983). More efficient estimation in the presence of heteroscedasticity of unknown form. *Econometrica* 51(3): 751-763.
80. Deaton, M.L., Reynolds, M.R., Jr. & Myers, R.H. (1983). Estimation and hypothesis testing in regression in the presence of nonhomogeneous error variances. *Communications in Statistics—Simulation and Computation* 12(1): 45-66.
81. Chesher, A. (1984). Testing for neglected heterogeneity. *Econometrica* 52(4): 865-872. See notebook on spec. tests.
82. Fomby, T.B., Hill, R.C. & Johnson, S.R. (1984). *Advanced Econometric Methods*. New York: Springer-Verlag. (pp. 196-197)
83. Freedman, D.A. & Peters, S.C. (1984). Bootstrapping a regression equation: some empirical results. *Journal of the American Statistical Association* 79(385): 97-106.
84. Mandy, D.M. (1984). The moments of a pre-test estimator under possible heteroscedasticity. *Journal of Econometrics* 25: 29-33.
85. Matloff, N. & Rose, R. (1984). A comparison of two methods for estimating optimal weights in regression analysis. *Journal of Statistical Computation and Simulation* 19: 265-274.
86. Miller, D.M. (1984). Reducing transformation bias in curve fitting. *The American Statistician* 38(2): 124-126.
87. Nürnberg, G. (1984). Robustness of two-sample tests for variances. In D. Rasch and M.L. Tiku (eds.) *Robustness of Statistical Methods and Nonparametric Statistics* (pp.75-82). VEB Deutscher Verlag der Wissenschaften.
88. Peck, C.C., Beal, S.L., Sheiner, L.B. & Nichols, A.I. (1984). Extended least squares nonlinear regression: a possible solution to the “choice of weights” problem in analysis of individual pharmacokinetic data. *Journal of Pharmacokinetics and Biopharmaceutics* 12(5): 545-558.
89. Rothenberg, T.J. (1984). Approximate normality of generalized least squares estimates.

- Econometrica* 52(4): 811-825.
90. Yancey, T.A., Judge, G.G. & Miyazaki, S. (1984). Some improved estimators in the case of possible heteroscedasticity. *Journal of Econometrics* 12: 133-150.
  91. Amemiya, T. (1985). *Advanced Econometrics*. Cambridge, Massachusetts: Harvard University Press. (pp.198-207)
  92. Atkinson, A.C. (1985). Transformations and constructed variables. In *Plots, Transformations, and Regressions: An Introduction* (pp.80-136). New York: Oxford University Press.
  93. Breiman, L. & Friedman, J.H. (1985). Estimating optimal transformations for multiple regression and correlation. *Journal of the American Statistical Association* 80(391): 580-619.
  94. Carroll, R.J. & Ruppert, D. (1985). Transformations in regression: a robust analysis. *Technometrics* 27(1): 1-12.
  95. Davidson, R. & MacKinnon, J.G. (1985). Testing linear and loglinear regressions against Box-Cox alternatives. *Canadian Journal of Economics* XVIII(3): 499-517. In Box-Cox folder.
  96. Judge, G.G., Griffiths, W.E., Hill, R.C., & Lütkepohl, H. (1985). *The Theory and Practice of Econometrics*. New York: Wiley. (pp.444-464)
  97. Kennedy, P. (1985a). A rule of thumb for mixed heteroskedasticity. *Economics Letters* 18: 157-159.
  98. Kennedy, P.E. (1985b). A suggestion for measuring heteroskedasticity. *Communications in Statistics—Simulation and Computation* 14(4): 845-851.
  99. Kleijnen, J.P.C., Cremers, P. & van Belle, F. (1985). The power of weighted and ordinary least squares with estimated unequal variances in experimental design. *Communications in Statistics—Simulation and Computation* 14(1): 85-102.
  100. MacKinnon, J.G. & White, H. (1985). Some heteroskedasticity-consistent covariance matrix estimators with improved finite sample properties. *Journal of Econometrics* 29: 305-325.
  101. Ali, M.M. & Silver, J.L. (1985). Tests for equality between sets of coefficients in two linear regressions under heteroscedasticity. *Journal of the American Statistical Association* 80(391): 730-735.
  102. Scheiner, L.B. & Beal, S.L. (1985). Pharmacokinetic parameter estimates from several least squares procedures: superiority of extended least squares. *Journal of Pharmacokinetics and Biopharmaceutics* 13(2): 185-201.

103. Tabatabai, M.A. & Tan, W.Y. (1985). Some comparative studies on testing parallelism of several straight lines under heteroscedastic variances. *Communications in Statistics–Simulation and Computation* 14(4): 837-844.
104. Atkinson, A.C. (1986a). Diagnostic tests for transformations. *Technometrics* 28(1): 29-37.
105. Atkinson, A.C. (1986b). Masking unmasked. *Biometrika* 73(3): 533-541.
106. Dufour, J.-M. (1986a). Bias of  $S^2$  in linear regressions with dependent errors. *The American Statistician* 40(4): 284-285.
107. Dufour, J.-M. (1986b). On estimators of the disturbance variance in econometric models: some general small-sample results on bias and the existence of moments. Cahiers de recherche 8624. Universite de Montreal, Departement de sciences economiques. 18 pages.
108. Giltinan, D.M., Carroll, R.J. & Ruppert, D. (1986). Some new estimation methods for weighted regression when there are possible outliers. *Technometrics* 28(3): 219-230.
109. Griffiths, W.E. & Surekha, K. (1986). A Monte Carlo evaluation of the power of some tests for heteroscedasticity. *Journal of Econometrics* 31: 219-231.
110. Rivest, L.-P. (1986). Bartlett's, Cochran's, and Hartley's tests on variances are liberal when the underlying distribution is long-tailed. *Journal of the American Statistical Association* 81(393): 124-128.
111. Royall, R.M. (1986). Model robust confidence intervals using maximum likelihood estimators. *International Statistical Review* 54(2): 221-226.
112. Snee, R.D. (1986). An alternative approach to fitting models when re-expression of the response is useful. *Journal of Quality Technology* 18(4): 211-225.
113. Taylor, J.M.G. (1986). The retransformed mean after a fitted power transformation. *Journal of the American Statistical Association* 81(393): 114-118.
114. Weber, N.C. (1986). The jackknife and heteroskedasticity. *Economic Letters* 20: 161-163.
115. Wilcox, R.R., Charlin, V.L. & Thompson, K.L. (1986). New Monte Carlo results on the robustness of the anova F, W and F\* statistics. *Communications in Statistics–Simulation and Computation* 15(4): 933-943.
116. Aitkin, M. (1987). Modelling variance heterogeneity in normal regression using GLIM. *Applied Statistics* 36(3): 332-339.
117. Chesher, A. & Jewitt, I. (1987). The bias of a heteroskedasticity consistent covariance matrix estimator. *Econometrica* 55(5): 1217-1222.

118. Davidian, M. & Carroll, R.J. (1987). Variance Function Estimation. *Journal of the American Statistical Association* 82(400): 1079-1091.
119. Farebrother, R.W. (1987). The statistical foundations of a class of parametric tests for heteroscedasticity. *Journal of Econometrics* 36: 359-368.
120. Giltinan, D.M. & Ruppert, D. (1987a). Computing robust variance estimates in heteroscedastic regression. Paper presented at Biometric Society Meetings, Dallas, Texas. 12 pages.
121. Giltinan, D.M. & Ruppert, D. (1987b). Fitting heteroscedastic regression models to individual pharmacokinetic data using standard statistical software. Preprint article.
122. McCulloch, C.E. (1987). Tests for equality of variances with paired data. *Communications in Statistics—Theory and Methods* 16(5): 1377-1391.
123. Müller, H.-G. & Stadtmüller, U. (1987). Estimation of heteroscedasticity in regression analysis. *The Annals of Statistics* 15(2): 610-625.
124. Nelson, L.S. (1987). A gap test for variances. *Journal of Quality Technology* 19(2): 107-109.
125. Roshwalb, A. (1987). The estimation of a heteroscedastic linear model using inventory data. Draft paper to be presented at the 147<sup>th</sup> Annual Meeting of the American Statistical Association, San Francisco, CA, August 17-20.
126. Weerahandi, S. (1987). Testing regression equality with unequal variances. *Econometrica* 55(5): 1211-1215.
127. Beal, S.L. & Sheiner, L.B. (1988). Heteroscedastic nonlinear regression. *Technometrics* 30(3): 327-338.
128. Bloch, D.A. & Moses, L.E. (1988). Nonoptimally weighted least squares. *The American Statistician* 42(1): 50-53.
129. Carroll, R.J. & Cline, D.B.H. (1988). An asymptotic theory for weighted least-squares with weights estimated by replication. *Biometrika* 75(1): 35-43.
130. Carroll, R.J., Wu, C.F.J. & Ruppert, D. (1988). The effect of estimating weights in weighted least squares. *Journal of the American Statistical Association* 83(404): 1045-1054.
131. Caudill, S.B. (1988). Type I errors after preliminary tests for heteroscedasticity. *The Statistician* 37: 65-68.
132. Conerly, M.D. & Mansfield, E.R. (1988). An approximate test for comparing heteroscedastic regression models. *Journal of the American Statistical Association* 83(403): 811-817.

133. Dalal, S.R. & Mudholkar, G.S. (1988). A conservative test and confidence region for comparing heteroscedastic regressions. *Biometrika* 75(1): 149-152.
134. Dorfman, A. (1988a). A finite sample comparison of White's direct and simple tests for heteroscedasticity. *Journal of Statistical Computation and Simulation* 29: 299-308.
135. Dorfman, A. (1988b). Sound confidence intervals in the heteroscedastic linear model. Pre-print article.
136. Dufour, J.-M. (1988). Estimators of the disturbance variance in econometric models. *Journal of Econometrics* 37: 277-292.
137. Glasbey, C.A. (1988). Standard errors resilient to error variance misspecification. *Biometrika* 75(2): 201-206.
138. Hinkley, D.V. (1988). More on score tests for transformation in regression. *Biometrika* 75(2): 366-369.
139. Ohtani, K. (1988). Testing the disturbance variance after a pre-test for a linear hypothesis on coefficients in a linear regression. *Communications in Statistics—Theory and Methods* 17(12): 4231-4250.
140. Rees, D.G. & Henry, C.J.K. (1988). On comparing the predicted values from two simple linear regression lines. *The Statistician* 37: 299-306.
141. Rothenberg, T.J. (1988). Approximate power functions for some robust tests of regression coefficients. *Econometrica* 56(5): 997-1019.
142. Tibshirani, R. (1988). Estimating transformations for regression via additivity and variance stabilization. *Journal of the American Statistical Association* 83(402): 394-405.
143. van Houwelingen, J.C. (1988). Use and abuse of variance models in regression. *Biometrics* 44: 1073-1081.
144. Adjibolosoo, S.B.-S.K. (1989). *Communications in Statistics—Theory and Methods* 18(9): 3451-3462.
145. Cicchitelli, G. (1989). On the robustness of the one-sample t-test. *Journal of Statistical Computation and Simulation* 32: 249-258.
146. Conerly, M.D. & Mansfield, E.R. (1989). An approximate test for comparing independent regression models with unequal error variances. *Journal of Econometrics* 40: 239-259.
147. Finney, D.J. (1989). Was this in your statistics textbook? V. Transformation of data. *Experimental Agricultural* 25: 165-175.
148. Giltinan, D.M. & Ruppert, D. (1989). Fitting heteroscedastic regression models to

- individual pharmacokinetic data using standard statistical software. *Journal of Pharmacokinetics and Biopharmaceutics* 17(5): 601-614.
149. Gregoire, T.G. & Dyer, M.E. (1989). Model fitting under patterned heterogeneity of variance. *Forest Science* 35(1): 105-125.
150. Hall, P & Carroll, R.J. (1989). Variance function estimation in regression: the effect of estimating the mean. *Journal of the Royal Statistical Society–Series B* 51(1): 3-14.
151. Honda, Y. (1989). On the optimality of some tests of the error covariance matrix in the linear regression model. *Journal of the Royal Statistical Society–Series B* 51(1): 71-79.
152. Ruppert, D. & Aldershof, B. (1989). Transformations to symmetry and homoscedasticity. *Journal of the American Statistical Association* 84(406): 437-446.
153. Ruppert, D., Cressie, N. & Carroll, R.J. (1989). A transformation/weighting model for estimating Michaelis-Menten parameters. *Biometrics* 45: 637-656.
154. Shao, J. (1989). Jackknifing weighted least squares estimators. *Journal of the Royal Statistical Society–Series B* 51(1): 139-156.
155. Spanos, A. (1989). Modeling heteroskedasticity: the Student's  $t$  and elliptical linear regression models. Discussion paper No. E89-05-08. 19 pages.
156. Balakrishnan, N. & Ma, C.W. (1990). A comparative study of various tests for the equality of two population variances. *Journal of Statistical Computation and Simulation* 35: 41-89.
157. Brownie, C., Boos, D.D. & Hughes-Oliver, Jacqueline (1990). Modifying the  $t$  and ANOVA  $F$  tests when treatment is expected to increase variability relative to controls. *Biometrics* 46: 259-266.
158. Dalal, S.R. (1990). Simultaneous confidence bands for regression with unknown unequal variances. *Technometrics* 32(2): 173-186.
159. Henderson, H.V. & McCulloch, C.E. (1990). Transform or link? *Technical Report BU-1049-MA*. Ithaca, NY: Cornell University. 11 pages.
160. Kimura, D.K. (1990). Testing nonlinear regression parameters under heteroscedastic, normally distributed errors. *Biometrics* 46: 697-708.
161. Sabin, T.E. & Stafford, S.G. (1990). *Assessing the need for transformation of response variables*. (Special Publication 20, 31 p.). Corvallis, OR: Forest Research Laboratory, Oregon State University.
162. Shao, J. (1990). Asymptotic theory in heteroscedastic nonlinear models. *Statistics & Probability Letters* 10: 77-85.

163. Tsai, C.-L. & Wu, X. (1990). Diagnostics in transformation and weighted regression. *Technometrics* 32(3): 315-322.
164. van der Genugten, B.B. (1990). Iterated WLS using residuals for improved efficiency in the linear model with completely unknown heteroskedasticity. (Research Memorandum FEW 454, 34 p.). Le Tilburg, The Netherlands: Tilburg University.
165. Buxton, J.R. (1991). Some comments on the use of response variable transformations in empirical modelling. *Applied Statistics* 40(3): 391-400.
166. Carroll, R.J. & Ruppert, D. (1991). Prediction and tolerance intervals with transformation and/or weighting. *Technometrics* 33(2): 197-210.
167. Furno, M. (1991). Comparison of estimators for heteroskedastic models. *Journal of Statistical Computation and Simulation* 38: 99-107.
168. Kettl, S. (1991). Accounting for heteroscedasticity in the transform both sides regression model. *Applied Statistics* 40(2): 261-268.
169. Marzec, L. & Marzec, P. (1991). On testing the equality in dispersion of two probability distributions. *Biometrika* 78(4): 923-925.
170. Nelder, J.A. (1991). Generalized linear models for enzyme-kinetic data. *Biometrics* 47: 1605-1615.
171. Singh, B. (1991). Distribution of variance ratio in unbalanced random model under heterogeneity of error variances. *Communications in Statistics—Theory and Methods* 20(9): 3021-3028.
172. van der Genugten, B.B. (1991). Iterated weighted least squares in heteroscedastic linear models. *Statistics* 22 (4): 495-516.
173. Cormier, K.L., Reich, R.M., Czaplowski, R.L. & Bechtold, W.A. (1992). Evaluation of weighted regression and sample size in developing a taper model for loblolly pine. *Forest Ecology and Management* 53: 65-76.
174. Cragg, J.G. (1992). Quasi-Aitken estimation for heteroskedasticity of unknown form. *Journal of Econometrics* 54: 179-201.
175. Gregoire, T.G. (1992). Correspondence with David Ruppert, Takeshi Amemiya and Mike Williams.
176. Hall, P. (1992). On the removal of skewness by transformation. *Journal of the Royal Statistical Society—Series B* 54(1): 221-228.
177. Moser, B.K. & Stevens, G.R. (1992). Homogeneity of variance in the two-sample means test. *The American Statistician* 46(1): 19-21.

178. Shao, J. (1992a). Consistency of least-squares estimator and its jackknife variance estimator in nonlinear models. *The Canadian Journal of Statistics* 20(4): 415-428.
179. Shao, J. (1992b). Empirical Bayes estimation of heteroscedastic variances. *Statistica Sinica* 2(2): 495-518.
180. Welsh, A.H., Carroll, R.J. & Ruppert, D. (1992). *Fitting heteroscedastic regression models* (Research Report SMS-17-92, 22p.). Canberra, Australia: The Australian National University.
181. Adjibolosoo, S.Y.-S.K. (1993). Estimation of parameters of heteroscedastic error models under various hypothesized error structures. *The Statistician* 42: 123-133.
182. Chen, J. & Shao, J. (1993). Iterative weighted least squares estimators. *The Annals of Statistics* 21(2): 1071-1092.
183. Hooper, P.M. (1993). Iterative weighted least squares estimation in heteroscedastic linear models. *Journal of the American Statistical Association* 88(421): 179-184.
184. Pagan, A.R. & Pak, Y. (1993). Testing for heteroskedasticity. In G.S. Maddala, C.R. Rao & H.D. Vinod (eds.), *Handbook of Statistics Vol. 11* (p.489-518). Elsevier.
185. Parresol, B.R. (1993). Modeling multiplicative error variance: an example predicting tree diameter from stump dimensions in Baldcypress. *Forest Science* 39(4): 670-679.
186. Rocke, D.M. (1993). On the beta transformation family. *Technometrics* 35(1): 72-81.
187. Shao, J. & Rao, J.N.K. (1993). Jackknife inference for heteroscedastic linear regression models. *The Canadian Journal of Statistics* 21(4): 377-395.
188. van der Genugten, B.B. (1993). Efficiency of iterated WLS in the linear model with completely unknown heteroskedasticity. *Statistica Neerlandica* 47(2): 111-125.
189. Verbyla, A.P. (1993). Modelling variance heterogeneity: residual maximum likelihood and diagnostics. *Journal of the Royal Statistical Society–Series B* 55(2): 493-508.
190. Williams, M.S. & Gregoire, T.G. (1993). Estimating weights when fitting linear regression models for tree volume. *Canadian Journal of Forest Research* 23: 1725-1731.
191. Cook, R.D. & Weisberg, S. (1994). Transforming a response variable for linearity. *Biometrika* 81(4): 731-737.
192. Welsh, A.H., Carroll, R.J. & Ruppert, D. (1994). Fitting heteroscedastic regression models. *Journal of the American Statistical Association* 89(425): 100-116.
193. Williams, M.S. (1994). Evaluating the performance of weight functions with no constraints on function types. *Forest Science* 40(4): 787-793.

194. Larholt, K.M. & Sampson, A.R. (1995). Effects of heteroscedasticity upon certain analyses when regression lines are not parallel. *Biometrics* 51: 731-737.
195. Piepho, H.-P. (1996). A Monte Carlo test for variance homogeneity in linear models. *Biometrical Journal* 38(4): 461-473.
196. Sakia, R.M. (1995). An empirical comparison of three bias estimating procedures due to retransformation. *Informatik, Biometrie und Epidemiologie in Medizin und Biologie* 26(1): 2-6.
197. Wilcox, R.R. (1996a). Confidence intervals for the slope of a regression line when the error term has nonconstant variance. *Computational Statistics & Data Analysis* 22: 89-98.
198. Wilcox, R.R. (1996b). Estimation in the simple linear regression model when there is heteroscedasticity of unknown form. *Communications in Statistics—Theory and Methods* 25(6): 1305-1324.
199. Schoenberg, R. & Thompson, T.S. (1997). Email correspondence on estimating a linear regression on two dependent variables subject to constraint that both coefficients satisfy  $0 < a < b < 1$ .
200. Underwood, A.J. (1997). *Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance*. Cambridge University Press. (p.187–197)
201. Williams, M.S. (1997). A regression technique accounting for heteroscedastic and asymmetric errors. *Journal of Agricultural, Biological, and Environmental Statistics* 2(1): 108-129.
202. Wludyka, P.S. & Nelson, P.R. (1997). An analysis-of-means-type test for variances from normal populations. *Technometrics* 39(3): 274-285.
203. Green, E.J. & Valentine, H.T. (1998). Bayesian analysis of the linear model with heterogeneous variance. *Forest Science* 44(1): 134-138.
204. Bedrick, E.J. (2000). Checking for lack of fit in linear models with parametric variance functions. *Technometrics* 42(3): 227-236.
205. Cribari-Neto, F., Ferrari, S.L.P. & Cordeiro, G.M. (2000). Improved heteroscedasticity-consistent covariance matrix estimators. *Biometrika* 87(4): 907-918.
206. Oberg, A. & Davidian, M. (2000). Estimating data transformations in nonlinear mixed effect models. *Biometrics* 56(1): 65-72.
207. Gibbons, R.D. & Bhaumik, D.K. (2001). Weighted random-effects regression models with application to interlaboratory calibration. *Technometrics* 43(2): 192-198.
208. McCulloch, C.E. (2001). Transformations of data. Lecture slides.

209. Richter, S.J. & Payton, M.E. (2003). JMASM8: Using SAS to perform two-way analysis of variance using variance heterogeneity. *Journal of Modern Applied Statistical Methods* 2(2): 520-524.
210. Whittaker, J. & Whitehead, C. (2005). The neglog transformation and quantile regression for the analysis of a large credit scoring database. *Applied Statistics* 54(5): 863-878.
211. Wilcox, R.R. (2005). Estimating the conditional variance of  $Y$ , given  $X$ , in a simple regression model. *Journal of Applied Statistics* 32(5): 495-502.