

Last revised: March 2007

NON LINEAR REGRESSION BIBLIOGRAPHY
(including articles on growth modeling which may not all be nonlinear)
1921-Present (161 entries)

1. Briggs, G.E., Kidd, F. & West, C. (1921a). A quantitative analysis of plant growth. *Annals of Applied Biology* 7: 103–123.
2. Briggs, G.E., Kidd, F. & West, C. (1921b). Methods in the quantitative analysis of plant growth—A reply to criticism. *Annals of Applied Biology* 7: 403–406.
3. Fisher, R.A. (1921). Some remarks on the methods formulated in a recent article on “The quantitative analysis of plant growth.” *Annals of Applied Biology* 7: 367–372.
4. Wright, S. (1926). Review of “The Biology of Population Growth” and “The Natural Increase of Mankind.” *Journal of the American Statistical Association* 21(156): 493–497.
5. Johnson, N.O. (1935). A trend line for growth series. *Journal of the American Statistical Association* 30: 717.
6. Schumacher, F.X. (1939). A new growth curve and its application to timber-yield studies. *Journal of Forestry* 37: 819–820.
7. Stevens, W.L. (1951). Asymptotic regression. *Biometrics* 7(3): 247–267.
8. von Bertalanffy, L. (1957). Quantitative laws in metabolism and growth. *The Quarterly Review of Biology* 32(3): 217–231.
9. Richards, F.J. (1959). A flexible growth function for empirical use. *Journal of Experimental Botany* 10(29): 290–300.
10. Cooper, C.F. (1961). Equations for the description of past growth in even-aged stands of ponderosa pine. *Forest Science* 7(1): 72–80.
11. Laird, A.K., Tyler, S.A. & Barton, A.D. (1965). Dynamics of normal growth. *Growth* 29: 233–248.
12. Laird, A.K. (1965). Dynamics of relative growth. *Growth* 29: 249–263.
13. Day, N.E. (1966). Fitting curves to longitudinal data. *Biometrics* 22(2): 276–291.
14. Oliver, F.R. (1966). Aspects of maximum likelihood estimation of the logistic growth function. *Journal of the American Statistical Association* 61: 697–705.
15. Laird, A.K., Barton, A.D. & Tyler, S.A. (1968). Growth and time: an interpretation of allometry. *Growth* 32: 347–354.

16. Sprent, P. (1968). Linear relationships in growth and size studies. *Biometrics* 24(3): 639–656.
17. Ross, G.J.S. (1970). The efficient use of function minimization in non-linear maximum-likelihood estimation. *Applied Statistics* 19(3): 205–221.
18. Box, M.J. (1971). Bias in nonlinear estimation. *Journal of the Royal Statistical Society. Series B (Methodological)* 33(2): 171–201.
19. Lawton, W.H., Sylvestre, E.A. & Maggio, M.S. (1972). Self modeling nonlinear regression. *Technometrics* 14(3): 513–532. Under Lindstrom (1995) in Mixed Models/Longitudinal folder.
20. McMahon, T. (1973). Size and shape in biology. *Science* 179(4079): 1201–1204.
21. Gallant, A.R. (1974). The theory of nonlinear regression as it relates to segmented polynomial regressions with estimated join points. *Institute of Statistics Mimeograph Series* (No. 925). Raleigh, NC: North Carolina State University.
22. Rawat, A.S. & Franz, F. (1974). Detailed non-linear asymptotic regression studies on tress and stand growth with particular reference to forest yield research in Bavaria (Federal Republic of Germany) and India (p.180–221). In J. Fries (ed.). *Growth Models for Tree and Stand Simulation: Proceedings of Meetings in 1973*, International Union of Forestry Research Organizations, Working Party S4.01-4. Stockholm: Royal College of Forestry.
23. Gallant, A.R. (1975a). Inference for nonlinear models. *Institute of Statistics Mimeograph Series* (No. 875). Raleigh, NC: North Carolina State University.
24. Gallant, A.R. (1975b). Nonlinear regression. *The American Statistician* 29(2): 73–81.
25. Gallant, A.R. (1975c). Testing a subset of the parameters of a nonlinear regression model. *Journal of the American Statistical Association* 70(352): 927–932.
26. Gallant, A.R. (1975d). The power of the likelihood ratio test of location in nonlinear regression models. *Journal of the American Statistical Association* 70(349): 198–203.
27. Seigel, D.G. (1975). Several approaches for measuring average rates of change for a second degree polynomial. *The American Statistician* 29(1): 36–37.
28. Milliken, G.A. & DeBruin, R.L. (1978). A procedure to test hypotheses for nonlinear model. *Communications in Statistics—Theory and Methods* A7(1): 65–79.
29. Nokoe, S. (1978). Demonstrating the flexibility of the Gompertz function as a yield model using mature species data. *Commonwealth Forestry Review* 57(1): 35–42.

30. Yang, R.C., Kozak, A. & Smith, J.H.G. (1978). The potential of Weibull-type functions as flexible growth curves. *Canadian Journal of Forest Research* 8: 424–431.
31. Glasbey, C.A. (1979). Correlated residuals in non-linear regression applied to growth data. *Journal of the Royal Statistical Society. Series C* 28(3): 251–259.
32. Ricker, W.E. (1979). Growth rates and models (p.677–743). In W.S. Hoar, D.J. Randall & J.R. Brett. (eds.). *Fish Physiology, Volume VIII: Bioenergetics and Growth*. New York: Academic Press.
33. Glasbey, C.A. (1980). Nonlinear regression with autoregressive time series errors. *Biometrics* 36: 135–140.
34. Schnute, J. & Fournier, D. (1980). A new approach to length-frequency analysis: Growth structure. *Canadian Journal of Fisheries and Aquatic Sciences* 37(9): 1337–1351.
35. Bruce, D. (1981). Consistent height-growth and growth-rate estimates for remeasured plots. *Forest Science* 27(4): 711–725.
36. Leech, J.W. & Ferguson, I.S. (1981). Comparison of yield models for unthinned stands of radiata pine. *Australian Forest Research*, 11: 231-245.
37. Schnute, J. (1981). A versatile growth model with statistically stable parameters. *Canadian Journal of Fisheries and Aquatic Sciences* 38: 1128–1140.
38. Hunt, R. (1982). *Plant Growth Curves: The Functional Approach to Plant Growth Analysis*. London: Edward Arnold.
39. Schnute, J. (1982). A manual for easy nonlinear parameter estimation in fishery research with interactive microcomputer programs. *Canadian Technical Report of Fisheries and Aquatic Sciences* (No. 1140). Government of Canada Fisheries and Oceans.
40. Amemiya, T. (1983). Non-linear regression models (333–389). In Z. Griliches & M.D. Intriligator (eds.). *Handbook of Econometrics, Volume I*. Amsterdam: North-Holland Publishing Company.
41. Rogosa, D.R. & Willett, J.B. (1983). Demonstrating the reliability of the difference score in the measurement of change. *Journal of Education Measurement* 20(4): 335–343.
42. Manski, C.F. (1984). Adaptive estimation of non-linear regression models. *Econometric Reviews* 3(2): 145–194.
43. Staniewski, P. (1984). The bootstrap in nonlinear regression (139–142). In D. Rasch & M.L. Tiku (eds.). *Robustness of Statistical Methods and Nonparametric Statistics*. Kluwer Academic Publishers.

44. Cook, R.D. & Tsai, C.-L. (1985). Residuals in nonlinear regression. *Biometrika* 72(1): 23–29.
45. Gertner, G.Z. (1985). Efficient nonlinear growth model estimation: Its relationship to measurement interval. *Forest Science* 31(4): 821–826.
46. Jolicoeur, P. (1985). A flexible 3-parameter curve for limited or unlimited somatic growth. *Growth* 49: 271–281.
47. Meredith, M.P. (1985). Initial parameter estimates for nonlinear regression models (Biometrics Unit Paper No. BU-887-M). Ithaca, NY: Cornell University.
48. Mittertreiner, A. & Schnute, J. (1985). Simplex: a manual and software package for easy nonlinear parameter estimation and interpretation in fishery research. *Canadian Technical Report of Fisheries and Aquatic Sciences* (No. 1384). Government of Canada Fisheries and Oceans.
49. Törnqvist, L., Vartia, P. & Vartia, Y.O. (1985). How should relative change be measured? *The American Statistician* 39(1): 43–46.
50. Charles-Edwards, D.A., Doley, D. & Rimmington, G.M. (1986). *Modelling Plant Growth and Development*. Academic Press.
51. Gasser, T., Sroka, L. & Jennen-Steinmetz, C. (1986). Residual variance and residual pattern in nonlinear regression. *Biometrika* 73(3): 625–633.
52. Hamilton, D. (1986). Confidence regions for parameter subsets in nonlinear regression. *Biometrika* 73(1): 57–64.
53. Jolicoeur, P. & Heusner, A.A. (1986). Log-normal variation belts for growth curves. *Biometrics* 42: 785–794.
54. Koops, W.J. (1986). Multiphasic growth curve analysis. *Growth* 50: 169–177.
55. Lebeau, B., Jolicoeur, P., Pageau, G. & Crossman, E.J. (1986). Asymptotic growth, egg production and trivariate allometry in *esox masquinongy* Mitchill. *Growth* 50: 185–200.
56. Ratkowsky, D.A. (1986). Statistical properties of alternative parameterizations of the von Bertalanffy growth curve. *Canadian Journal of Fisheries and Aquatic Sciences* 43: 742–747.
57. Simonoff, J.S. & Tsai, C.-L. (1986). Jackknife-based estimators and confidence regions in nonlinear regression. *Technometrics* 28(2): 103–112.

58. Verbyla, A.P. (1986). Conditioning in the growth curve model. *Biometrika* 73(2): 475–83.
59. Clarke, G.P.Y. (1987a). Approximate confidence limits for a parameter function in nonlinear regression. *Journal of the American Statistical Association* 82(397): 221–230.
60. Clarke, G.P.Y. (1987b). Marginal curvatures and their usefulness in the analysis of nonlinear regression models. *Journal of the American Statistical Association* 82(399): 844–850.
61. Hsieh, D.A. & Manski, C.F. (1987). Monte Carlo evidence on adaptive maximum likelihood estimation of a regression. *The Annals of Statistics* 15(2): 541–551.
62. Kokoska, S.M. & Johnson, L.B. (1987). A comparison of statistical techniques for analysis of growth curves. *Growth* 51: 261–269.
63. Leamy, L. & Bradley, D. (1987). Growth curve and morphometric variables in rats: Are they related? *Growth* 51: 271–281.
64. Mattfeldt, T. & Mall, G. (1987). Statistical methods for growth allometric studies. *Growth* 51: 86–102.
65. Rogers, S.R., Pesti, G.M. & Marks, H.L. (1987). Comparison of three nonlinear regression models for describing broiler growth curves. *Growth* 51: 229–239.
66. Piantadosi, S. (1987). Generalizing growth functions assuming parameter heteroscedasticity. *Growth* 51: 50–63.
67. Zeger, S.L. & Harlow, S.D. (1987). Mathematical models from laws of growth to tools for biologic analysis: Fifty years of *Growth*. *Growth* 51: 1–21.
68. Beal, S.L. & Sheiner, L.B. (1988). Heteroscedastic nonlinear regression. *Technometrics* 30(3): 327–338.
69. Bredenkamp, B.V. & Gregoire, T.G. (1988). A forestry application of Schnute's generalized growth function. *Forest Science* 34(3): 790–797.
Yang, Y.-C. & Feng, F.-L. (1989). The application of Schnute growth function to the analysis of stand structure of man-made forests in Taiwan. *Quarterly Journal of Chinese Forestry* 22(3): 3–17.
70. Dawood, N., Jolicoeur, P. & Sharief, S.D. (1988). Postnatal brain growth and allometry in the rabbit *Oryctolagus cuniculus*. *Growth, Development & Aging* 52: 169–175.

71. Jolicoeur, P., Baron, G. & Cabana, T. (1988). Cross-sectional growth and decline of human stature and brain weight in 19th-century Germany. *Growth, Development & Aging* 52: 201–206.
72. Jolicoeur, P. & Pirlot, P. (1988). Asymptotic growth and complex allometry of the brain and body in the white rat. 52(1): 3–10.
73. Jolicoeur, P., Pontier, J., Pernin, M.-O. & Sempé, M. (1988). A lifetime asymptotic growth curve for human height. *Biometrics* 44: 995–1003
74. Jungers, W.L., Cole, T.M., III & Owsley, D.W. (1988). Multivariate analysis of relative growth in the limb bones of Arikara Indians. *Growth, Development & Aging* 52: 103–107.
75. Naik, D.N. (1988). Detection of outliers and influential observations in growth curve models. Imprint: Old Dominion University Research Foundation, 1998, Norfolk, Virginia.
76. Verbyla, A.P. & Venables, W.N. (1988). An extension of the growth curve model. *Biometrika* 75(1): 129–138.
77. Jolicoeur, P. (1989). A simplified model for bivariate complex allometry. *Journal of Theoretical Biology* 140: 41–49.
78. Jolicoeur, P. & Pontier, J. (1989). Population growth and decline: a four-parameter generalization of the logistic curve. *Journal of Theoretical Biology* 141: 563–571.
79. Kaiser, L. (1989). Adjusting for baseline: change or percentage change? *Statistics in Medicine* 8: 1183–1190.
80. Koops, W.J. (1989). Multiphasic Analysis of Growth. Doctoral thesis, Department of Animal Breeding, Wageningen Agricultural University. The Netherlands.
81. Ruppert, D., Cressie, N. & Carroll, R.J. (1989). A transformation/weighting model for estimating Michaelis-Menten Parameters. *Biometrics* 45: 637–656.
82. Rudemo, M., Ruppert, D. & Streibig, J.C. (1989). Random-effect models in nonlinear regression with applications to bioassay. *Biometrics* 45: 349–362.
83. Zeide, B. (1989). Accuracy of equations describing diameter growth. *Canadian Journal of Forest Research* 19: 1283–1286. In Diameter Distribution notebook.
84. Cabana, T., Jolicoeur, P. & Baron, G. (1990). Brain and body growth and allometry in the Mongolian Gerbil (*Meriones unguiculatus*). *Growth, Development & Aging* 54: 23–30.

85. Cook, R.D. & Weisberg, S. (1990). Confidence curves in nonlinear regression. *Journal of the American Statistical Association* 85(410): 544–551.
86. Jolicoeur, P. (1990). Bivariate allometry: interval estimation of the slopes of the ordinary and standardized normal major axes and structural relationship. *Journal of Theoretical Biology* 144: 275–285. In Measurement of Error notebook.
87. Kanefuji, K. & Shohoji, T. (1990). On a growth model of human height. *Growth, Development & Aging* 54: 155–165.
88. Kimura, D.K. (1990). Testing nonlinear regression parameters under heteroscedastic, normally distributed errors. *Biometrics* 46: 697–708.
89. Naik, D.N. (1990). Prediction intervals for growth curves. *Journal of Applied Statistics* 17(2): 245–254.
90. Zeide, B. (1990). Structure of growth equation (p.349-354). In L.C. Wensel and G.S. Biging (eds.). Forest Simulation Systems Conference. Berkeley, CA: University of California, Division of Agriculture and Natural Resources.
91. Burnett, R.T. (1991). Nonlinear regression models for correlated count data. *Environmetrics* 3(2): 211–222.
92. Cieszewski, C.J. & Bella, I.E. (1991). Towards optimal design of nonlinear regression models. In: Rennolls K., Gertner, G. Proceedings of a IUFRO S4.11 Conference held on 10-14 September 1991 at the University of Greenwich, London, UK.
93. Jolicoeur, P., Abidi, H. & Pontier, J. (1991). Human Stature: which growth model? *Growth, Development & Aging* 55: 129–132.
94. Koops, W.J. & Grossman, M. (1991). Applications of a multiphasic growth function to body composition in pigs. *Journal of Animal Science* 69(8): 3265–3273.
95. Makany, R. (1991). A theoretical basis for Gompertz's Curve. *Biometrical Journal* 33(1): 121–128.
96. Poor, A.H. (1991). Prediction intervals in nonlinear regression. *Biometrical Journal* 33(5): 559–571.
97. South, D.B. (1991). Testing the hypothesis that mean relative growth rates eliminate size-related growth differences in tree seedlings. *New Zealand Journal of Forestry Science* 21(2/3): 144–164.
98. Cullis, B.R. & Verbyla, A.P. (1992). Nonlinear regression modelling and time dependent covariates in repeated measures experiments. *Australian Journal of Statistics* 34(2): 145-160.

99. Jolicoeur, P. & Ducharme, G. (1992). Bivariate allometry: point estimation of the slope of the normal major axis. *Journal of Theoretical Biology* 154: 35–41.
100. Jolicoeur, P., Cabana, T. & Ducharme, G. (1992). A four-parameter generalization of the Gompertz curve suitable for somatic growth. *Growth, Development & Aging* 56: 69–74.
101. Jungers, W.L. & Cole, M.S. (1992). Relative growth and shape of the locomotor skeleton in lesser apes. *Journal of Human Evolution* 23: 93–105.
102. Koops, W.J. & Grossman, M. (1992). Characterization of poultry egg production using a multiphasic approach. *Poultry Science* 71: 399–405.
103. Laurent, R.T.S. & Cook, R.D. (1992). Leverage and superleverage in nonlinear regression. *Journal of the American Statistical Association* 87(420): 985–990.
104. Shao, J. (1992). Consistency of least-squares estimator and its jackknife variance estimator in nonlinear models. *The Canadian Journal of Statistics* 20(4): 415–428. In Heteroscedasticity notebook.
105. Johnson, A.M. & Umphers, I.S. (1993). A nonlinear regression model for describing averaged growth curves of mice. *Communications in Statistics—Theory and Methods* 22(12): 3407–3418.
106. Laurent, R.T.S. & Cook, R.D. (1993). Leverage, local influence and curvature in nonlinear regression. *Biometrika* 80(1): 99–106.
107. Mak, T.K. (1993). Solving non-linear estimation equations. *Journal of the Royal Statistical Society, Series B* 55(4): 945–955.
108. Nokoe, S. (1993). Quantitative assessment of growth in the tropical rainforests (p.379–399). In V. Barnett and K.F. Turkman (eds.). *Statistics for the Environment*. Wiley.
109. Peerson, J.M., Heinig, M.J., Nommsen, L.A., Lönnerdal, B. & Dewey, K.G. (1993). Use of growth models to describe patterns of length, weight, and head circumference among breast-fed and formula-fed infants: The DARLING study. *Human Biology* 65(4): 611–626.
110. Zeide, B. (1993). Analysis of growth equations. *Forest Science* 39(3): 594–616.
111. Zhang, L., Moore, J.A. & Newberry, J.D. (1993). Estimating asymptotic attributes of forest stands based on bio-mathematical rationales. *Ecological Applications* 3(4): 743–748.

112. García, O. (1994). The state-space approach in growth modeling. *Canadian Journal of Forest Research* 24: 1894–1903.
113. Nevill, A.M. & Holder, R.L. (1994). Modelling maximum oxygen uptake—a case-study in non-linear regression model formulation and comparison. *Applied Statistics* 43(4): 653–666.
114. Altman, N.S. & Casella, G. (1995). Nonparametric empirical Bayes Growth Curve analysis. *Journal of the American Statistical Association* 90(430): 508–515.
115. Hynynen, J. (1995). Predicting the growth response to thinning for Scots pine stands using individual-tree growth models. *Silva Fennica* 29(3): 225–246.
116. Jolicoeur, P. (1995). Unlinearized confidence limits for the statistical recovery of non-linear relationships in biology. *Journal of Theoretical Biology* 172: 217–224.
117. Jungers, W.L., Falsetti, A.B. & Wall, C.E. (1995). Shape, relative size, and size-adjustments in morphometrics. *Yearbook of Physical Anthropology* 38: 137–161.
118. Kim, M. & Hill, R.C. (1995). Shrinkage estimation in nonlinear regression: The Box-Cox transformation. *Journal of Econometrics* 66: 1–33.
119. South, D.B. (1995). Relative growth rates: a critique. *South African Forestry Journal* 173: 43–48.
120. France, J., Dijkstra, J., Thornley, J.H.M. & Dhanoa, M.S. (1996). A simple but flexible growth function. *Growth, Development & Aging* 60: 71–83.
121. Guan, B.T. & Gertner, G.Z. (1996). An artificial neural network with partitionable outputs. *Computers and Electronics in Agriculture* 16: 39–46.
122. Gumpertz, M.L. & Clarke, G.P.Y. (1996). Two-stage nonlinear mixed model analysis using expected value transformations. *South African Statistical Journal* 30: 91–117. In Longitudinal notebook.
123. Mason, E.G., South, D.B. & Zutter, B.R. (1996). Classical growth analysis for a computer age. In J.P. Skovsgaard & Johannsen, V.K. (eds.). *Modelling Regeneration Success and Early Growth of Forest Stands, Proceedings from the IUFRO Conference, held in Copenhagen, 10-13 June 1996*. Danish Forest and Landscape Research Institute, Ministry of Environment and Energy.
124. Walker, S. (1996). An EM algorithm for nonlinear random effects models. *Biometrics* 52: 934–944.
125. Chen, Z. (1997). Parameter estimation of the Gompertz population. *Biometrical Journal* 39(1): 117–124.

126. García, O. (1997). Another look at growth equations. Working Paper, Royal Veterinary and Agricultural University, Department of Economics and Natural Resources, Unit of Forestry.
127. Naik, D.N. & Prabhala, S. (1997). Analysis of growth curves under autoregressive covariance structure. *Journal of Applied Statistical Science* 5(4): 291–301.
128. Ng, M.P. & Grunwald, G.K. (1997). Non-linear regression analysis of the joint-regression model. *Biometrics* 53: 1366-1372.
129. Valentine, H.T. (1997). Height growth, site index, and carbon metabolism. *Silva Fennica* 31(3): 251–263.
130. Lei, Y., Marques, C.P. & Macedo, F.W. (1997). Comparison of Schnute's and Bertalanffy-Richards' growth functions. *Forest Ecology and Management* 96: 283–288.
131. Hamilton, D.C. & Knop, O. (1998). Combining non-linear regressions that have unequal error variances and some parameters in common. *Applied Statistics* 47(2): 173–185.
132. Fekedulegn, D., Mac Siurtain, M.P. & Colbert, J.J. (1999). Parameter estimation of nonlinear growth models in forestry. *Silva Fennica* 33(4): 327–336.
133. Goelz, J.C.G., Burk, T.E. & Zedaker, S.M. (1999). Long-term growth trends of red spruce and fraser fir at Mt. Rogers, Virginia and Mt. Mitchell, North Carolina. *Forest Ecology and Management* 115: 49–59.
134. Kudus, K.A., Ahmad, M.I. & Lapongan, J. (1999). Nonlinear regression approach to estimating Johnson SB parameters for diameter data. *Canadian Journal of Forest Research* 29: 310–314.
135. Maini, P.K. (1999). Some mathematical models for biological pattern formation (p.111–128). In M.A.J. Chaplain, G.D. Singh and J.C. McLachlan (eds.). *On Growth and Form: Spatio-temporal Pattern Formation in Biology*. Wiley.
136. Bartholomew, M.J. (2000). Nonlinear models with thresholds for repeated measures data: Population averaged approach. Department of Biostatistics VCU Technical Report Series (TRS 00-02). Richmond, VA: Virginia Commonwealth University.
137. Cao, Q.V. (2000). Prediction of annual diameter growth and survival for individual trees from periodic measurements. *Forest Science* 46(1): 127–131.

138. Cole, T.J. (2000). Sympercents: symmetric percentage differences on the 100 log_e scale simplify the presentation of log transformed data. *Statistics in Medicine* 19: 3109–3125. In Heteroscedasticity (Log Transformation) folder.
139. Enquist, B.J., West, G.B. & Brown, J.H. (2000). Quarter-power allometric scaling in vascular plants: functional basis and ecological consequences (p.167–199). In J. Brown and G. West (eds.). *Scaling in Biology*. Oxford University Press.
140. Nummi, T. (2000). Analysis of growth curves under measurement errors. *Journal of Applied Statistics* 27(2): 235–243.
141. Oberg, A. & Davidian, M. (2000). Estimating data transformations in nonlinear mixed effects models. *Biometrics* 56: 65–72. In Heteroscedasticity notebook.
142. Perevozskaya, I. & Kuznetsova, O.M. (2000). Modeling longitudinal growth data and growth percentiles. In Proceedings of the Twenty-Fifth Annual SAS Users Group International Conference. Cary, NC: SAS Institute Inc.
143. Wang, Y.-G. & Jackson, C.-J. (2000). Growth curves with time-dependent explanatory variables. *Environmetrics* 11: 597–605.
144. Xiong, F.S., Mueller, E.C. & Day, T.A. (2000). Photosynthetic and respiratory acclimation and growth response of Antarctic vascular plants to contrasting temperature regimes. *American Journal of Botany* 87(5): 700–710.
145. Schabenberger, O. (2001). Email correspondence.
146. Schabenberger, O. & Pierce, F.J. (2001). Contemporary Statistical Models for the Plant and Soil Sciences. Boca Raton: CRC Press. (p.183–327)
147. Sulieman, H., McLellan, P.J. & Bacon, D.W. (2001). A profile-based approach to parametric sensitivity analysis of nonlinear regression models. *Technometrics* 43(4): 425–433.
148. West, G.B., Brown, J.H. & Enquist, B.J. (2001). A general model for ontogenetic growth. *Nature* 413: 628–631.
149. Zimmerman, D.L. & Núñez-Antón, V. (2001). Parametric modelling of growth curve data: An overview. *Sociedad de Estadística e Investigación Operativa* 10(1): 1–73.
150. Cao, Q.V., Li, S. & McDill, M.E. (2002). Developing a system of annual tree growth equations for the loblolly pine-shortleaf pine type in Louisiana. *Canadian Journal of Forest Research* 32: 2051–2059.

151. Gwaze, D.P., Bridgwater, F.E. & Williams, C.G. (2002). Genetic analysis of growth curves for a woody perennial species, *Pinus taeda* L. *Theoretical and Applied Genetics* 105: 526–531.
152. Seymour, L. (2002). Modeling plant growth using regression with periodically correlated errors. *Journal of Agricultural, Biological, and Environmental Statistics* 7(2): 191–207.
153. Valentine, H.T. (2002). Amorphys. Project NE-4104. US Forest Service.
154. Albert, P.S. & Shih, J.H. (2003). Modeling tumor growth with random onset. *Biometrics* 59: 897–906.
155. Ducharme, G.R. & Fontez, B. (2004). A smooth test of goodness-of-fit for growth curves and monotonic nonlinear regression models. *Biometrics* 60: 977–986.
156. Leites, L.P. & Robinson, A.P. (2004). Improving taper equations of loblolly pine with crown dimensions in a mixed-effects modeling framework. *Forest Science* 50(2): 204–212.
157. García, O. (2005). Unifying sigmoid univariate growth equations. *Forest Biometry, Modelling and Information Sciences* 1: 63–68.
158. Cao, Q.V. (2006). Predictions of individual-tree and whole-stand attributes for loblolly pine plantations. *Forest Ecology and Management* 236: 342–347.
159. Nord-Larsen, T. (2006). Modeling individual-tree growth from data with highly irregular measurement intervals. *Forest Science* 52(2): 198–208.
160. Tarpey, T. & Ivey, C.T. (2006). Allometric extension for multivariate regression. *Journal of Data Science* 4: 479–495.
161. Tomé, J., Tomé, M., Barreiro, S. & Paulo, J.A. (2006). Age-independent difference equations for modeling tree and stand growth. *Canadian Journal of Forest Research* 36: 1621–1630.