

Last revised: October 2008

Bibliography
Point Sampling (with addendum on growth estimation)
(300+ entries)

1. Wanner, J. 1946. Die Schnellkreisprobefläche. (The fast basal area sample.) *Dieselbe Ztschr.* 57:9.
2. Bitterlich, W. 1947. Die Winkelzahlmes sung. (Measurement of basal area per hectare by means of angle measurement.) *Allgemeine Forst- und Holzwirtschaftliche Zeitung.* 58:94-96.
3. Wanner, J. 1948. Die Probefläche ohne Probefläche (The sample plot without a sample plot.) *Allg. Forst-u. Holzwirtsch. Ztg.* 59:11.
4. Bitterlich, W. 1949. Die Winkelzählprobe. *Allgemeine Forst- und Holzwirtschaftliche Zeitung*, 59(1/2)4—5.
5. Grosenbaugh, L.R. 1949. RS-SS, Mensuration, Stand Studies, Variable Plot Radius Method of Stand Structure Sampling. Memo to P.R. Wheeler. 14 pp.
6. Hirata, T. 1950. Precisions of variable plot methods. Faculty of Agriculture Bulletin, Tokyo University, Tokyo University Forests 54:1-17. (In Japanese).
7. Keen, E. A. 1950. The Relascope. *Empire Forestry Review* 29(3):253-263.
8. Jones, R. A. 1951. The use of a variable plot radius cruising device for aerial photographs. Master's thesis, University of Michigan.
9. Stage, A. R. 1951. Estimation of basal area by means of the variable plot radius method. Unpublished manuscript, University of Michigan, 17 pp.
10. Carow, J. 1952. Bitterlich's method of direct basal area estimation. Michigan Academy of Science, Arts and Letters. *Papers* 28:125-132.
11. West-Nielsen, G. 1952. En grundflademaler. (An instrument for measuring basal area.) *Hedeselsk. Tidsskr.* 73:271-4.
12. Carow, J. 1953. Quick cruising with the Bitterlich angle count method and a cumulative tally sheet. Michigan University, Forestry No. 1.
13. Cromer, D. A. N. 1952. Basal Area per Acre. *Australian Forestry* 16:57-61.
14. Grosenbaugh, L.R. 1952. Plotless Timber Estimates—New, Fast, Easy. *Journal of Forestry* 50:32-37.
15. Grosenbaugh, L. R. 1952. Shortcuts for cruisers and scalers. U. S. D. A. Forest Service, Southern Forest Experiment Station Occasional Paper 126.

16. Backels, J. F. 1953. A comparison of merchantable volume and basal area estimates obtained by the Bitterlich variable plot radius method and the 1/5 acre plot technique. Unpublished M. S. thesis. University of Michigan, Ann Arbor.
17. Bitterlich, W. 1953. Patentschrift NR. 175070. Osterreichisches Patentamt. K1.42c,6.
18. Masuyama, M. 1953. A Rapid Method of Estimating Basal Area in Timber Survey – An Application of Integral Geometry to Areal Sampling Problems. *Sankhyā: The Indian Journal of Statistics* 12(3):291-302.
19. Müller, G. Das Baumzahlrohr. 1953. (The tree-count telescope.) *Allg. Forstztg.* 64:249-251.
20. Prodan, M. 1953. Genauigkeit der Winkelzahlprobe nach Bitterlich. (The accuracy of Bitterlich's sampling method.) *Allg. Forstztg.* 64:96-100.
21. Flemming, W. J. 1954. A design for a relascope. *Forestry Chronicle* 30:284-286.
22. Masuyama, M. 1954. Analysis of the 1939 Model Sample Survey Results from the Viewpoint of Integral Geometry. *Sankhyā: The Indian Journal of Statistics* 13(3):229-234.
23. Masuyama, M. 1954. Mathematical Note on Area Sampling. *Sankhyā: The Indian Journal of Statistics* 13(3):241—242.
24. Müller, G. Das Baumzahlrohr. 1954. (The accuracy of measurements with Muller's tree-count (prismatic diffraction) telescope.) *Allg. Forstztg.* 65:166-71.
25. Nyysönen, A. 1954. Estimation of stand volume by means of the relascope. *Communicationes Instituti Forestalis Fenniae* 44:6 31 pp. (In Finnish with English summary).
26. Shanks, R. E. 1954. Plotless Sampling Trials in Appalachian Forest Types. *Ecology* 35(2):237-244.
27. Smith, N. & V. Bondes. 1954. Bestamning av virkesfbränd med tillhjalp av relaskop. (Determining timber volume using the Relascope.) *Skogen* 41:77-8.
28. Starr, J. W. 1954. The relative accuracy of three patterns of sampling point spacings in using Bitterlich's method for determining basal area on 50 and 100 acres. Unpublished M.S. thesis. University of Georgia.
29. Avery, T.E. 1955. Gross Volume Estimation Using “Plotless Cruising” in Southeast Arkansas. *Journal of Forestry* 53:206-207.
30. Baumann, H. 1955. Rationelle Stichprobenverfahren in der Forsteinrichtung. (Efficient sampling methods in forest management. *Allg. Forst- u. Jagdztg.* 126:11-22.

31. Bruce, D. 1955. A New Way to Look at Trees. *Journal of Forestry* 53:163-167.
32. Daniel, T.W. & Sutter, H. 1955. Bitterlich's "Spiegelrelaskop" - a revolutionary general-use forest instrument. *Journal of Forestry* 53:844-846.
33. Glide, H. 1955. Anleitung zur Aufnahme von Bitterlich-proben. (A guide to sampling by Bitterlich's method.) *Allg. Forstztg.* 66:306-8.
34. Grosenbaugh, L. R. 1955. Better Diagnosis and Prescription in Southern Forest Management. U.S. Forest Service Southern Forest Experimental Station Occasional Paper 145. 27 pp.
35. Grosenbaugh, L.R. 1955. Comments on "Results of an Investigation of the Variable Plot Method of Cruising". *Journal of Forestry* 53:734.
36. Haberle, S. 1955. Die Holzvorratsinventur mit Repräsentativverfahren. (Growing-stock inventories by sampling methods.) *Arbeitskreis für forstliche Biometrie Freiburg.*
37. Hirata, T. 1955. Height estimation through Bitterlich's method--vertical angle-count sampling. (In Japanese) *Japanese Forestry Society Journal* 37:479-80.
38. Husch, B. 1955. Results of an Investigation of the Variable Plot Method of Cruising. *Journal of Forestry* 53:570-574.
39. Prodan, M. 1955. Zur Durchführung von Repräsentativaufnahmen. (On the practice of representative sampling.) *Allg. Forst- u. Jagdztg.* 126:117-23.
40. Rice, E. & Penfound, W. T. 1955. An evaluation of the variable-radius and paired-tree methods in the blackjack-post oak forest. *Ecology* 36:315-320.
41. Senda, M. & K. Maezawa. 1955. On the measurement of stand basal area by the Bitterlich method. Tokyo University Forests Miscellaneous Report 10. (in Japanese)
42. Cromer, D. A. N. & Brown, A.G. 1956. Plantation inventories with aerial photographs and angle-count sampling. *Australian Forestry and Timber Bureau Bulletin* 34.
43. Daniel, T.W. 1956. Bitterlich's method of plotless cruising. *Journal of Forestry* 54:41-42.
44. Deitschman, G. H. 1956. Plotless timber cruising tested in upland hardwoods. *Journal of Forestry* 54:844-845.
45. Grosenbaugh, L. R. 1956. Tricks in sampling tree volume. Louisiana State University, Forestry Symposium Proc. 5:85-93.

46. Hanras, J. 1956 Etude sur l'application de la methode de Bitterlich aux forets de pins maritimes. (A study on the application of Bitterlich's method to Pinus pinaster stands.) Rev. forest. franc 8:161-71.
47. Hirata, T. 1956. Harmonic means in Bitterlich's sampling. (In Japanese) Tokyo University Forests Miscellaneous Inform. 11:9-14.
48. Husch, B. 1956. Comments on the variable plot method of cruising. *Journal of Forestry* 54:41.
49. Unterdörfer, C. 1955. Die Bestandesstammzahl nach der Winkelzahlprobe. (Determining the number of stems per ha. by the angle count principle.) Allg. Forst- u. Jagdztg. 126:176-9
50. Lindsey, A.A. 1956. Sampling methods and community attributes in forest ecology. *Forest Science* 2:287-296.
51. Marsh, N. 1956. Prism cruising method adopted. Oregon State Tax Commission, Valuation Division, Bull. 6-56: 6-9.
52. Parde' J. 1956. Un appareil revolutionnaire: le Relascopy a miroir de Bitterlich. (A revolutionary instrument: Bitterlich's Mirror Relascope.) Rev. forest. franc 8:172-84.
53. Smith, J. H. G. & Ker, J. W. 1956. Yield table conversion factors make "quick cruising" quicker. *British Columbia Lumberman* 40:31-34.
54. Viney, R. 1956. Les objections a la method de Bitterlich. (The disadvantages of Bitterlich's method.) Rev. forest, franc 8:185-8.
55. Zimmerman, E.W. 1956. Practical uses of point sampling for farm foresters. U. S. Forest Service, Northeastern Area, State & Private Forestry. 5 pp.
56. Zufa, L. 1956. Rubna stabla primernih porrsina. (Border trees on sample plots.) *Sumaratvo* 9:613-22.
57. Anonymous. 1957. Point-Sampling Compared with Plot-Sampling in East Texas. Southern Forest Experiment Station's 1957 Annual Report: 56-58.
58. Afanasiev, M. 1957. The Bitterlich Method of Cruising – Why Does It Work? *Journal of Forestry* 55:216-217.
59. Barton, J. D., Jr. 1957. Comparison of four forest sampling techniques. Unpublished Ph. D. thesis. Purdue University, Lafayette, Indiana. 1956. Dissertation Abstracts 17:729.
60. Bell, J. F. & L.B. Alexander. 1957. Application of the Variable Plot Method of Sampling Forest Stands. Oregon State Board of Forestry Research Note No. 30. 22 pp.

61. Bozdech, J. and Parkan, J. 1957. Examining the accuracy of, and rate of work with the (Bitterlich mirror relascope. (in Czech.) *Prace vyzkum. Ust. Lesn. CSR No. 13*, pp. 293-304.
62. Bozdech, J. & J. Parkan. 1957. Performance of the mirror relascope. (In Czech.) *Lesn. Prace* 36:261-263.
63. Briscoe, C. B. 1957. Calibration of the wedge prism. Louisiana Agricultural Experiment Station Forestry Note 14.
64. Briscoe, C. B. 1957. Stand table construction from relascope plots. Louisiana Agricultural Experiment Station Forestry Note 15.
65. Briscoe, C. B. 1957. Calculation of local volume factors for relascope cruising. Louisiana Agricultural Experiment Station Forestry Note 16.
66. Clutter, J. L. 1957. The effect of stand conditions and angle size on plotless cruising basal area estimates in loblolly pine. Unpublished M. F. thesis. Duke University, Durham, NC.
67. Cooper, C. F. 1957. The variable plot method for estimating shrub density. *Journal of Range Management* 10:111-115.
68. Finch, H.D.S. 1957. Plotless Enumeration with Angle Gauges. *Forestry* 30:173-192.
69. Gockerell, E. C. 1957. Determination of form class of standing trees with an angle gauge. *Journal of Forestry* 55:656.
70. Gould, E.M. 1957. The Harvard Forest Prism Holder for Point-Sampling. *Journal of Forestry* 55:730-731.
71. Grosenbaugh, L. R. & W. S. Stover. 1957. Point-Sampling Compared with Plot-Sampling in Southeast Texas. *Forest Science* 3(1):2-14.
72. Ker, J.W., Smith, J. H. G., & Walters, J. 1957. Observations on the accuracy and utility of plotless cruising. *British Columbia Lumberman* 41:32-36.
73. Klein, W. H. 1957. The wedgometer, a device for making slope adjustments with the wedge prism. *Western Forestry and Conservation Association Proceedings* 48:22-23.
74. Lindsey, A. A. & Miles, S. R. 1957. Field efficiencies of sampling methods in forest survey. (Abstract.) *Indiana Academy of Science Proceedings* 67:101.
75. Maezawa, K. 1957. Bias due to edge effect in Bitterlich method and its examples. (In Japanese.) *Tokyo University Forests Miscellaneous Inform.* 12:229-244.
76. Milic, G. 1957. Basal area determination by counting the trees under a definite angle with

- the aid of the Bitterlich method. (In Serbo-Croatian.) *Sumarstvo* 10:627-628.
77. Nedialkov, S. 1957. Determining the circular area of (forest) plantations by Bitterlich's method. (In Bulgarian.) *Goissko Stopanstvo* 13:362-367.
78. Richardson, J. H. 1957. Comparative efficiency of the wedge prism method and the circular plot method in estimating volumes of Douglas-fir stands. Unpublished M. S. thesis. Oregon State College, Corvallis, Oregon.
79. Strand, L. 1957. Litt om bruken av relaskopet. (Notes on the use of the relascope.) *Norsk Skogbruk* 3:255-7.
80. Strand, A.L. 1957. Relaskopisk – høyde-og Kubikkmassebestemmelse. *Norsk Skogbruk* 20:535-538.
81. Sand, N. H. 1957. Revolution in Timber Cruising. *American Forests* 63(4) 32-34.
82. Trappe, J. M. 1957. Experience with Basal Area Estimation by Prisms in Lodgepole Pine. Pacific Northwest Forest and Range Experiment Station Research Note No. 145. 6 pp.
83. Zimmerman, E. W. 1957. Practical uses of point sampling for farm foresters. U. S. Forest Service, State & Private Forestry, Milwaukee, WI.
84. Afanasiev, M. 1958. Some Results of the Use of the Bitterlich Method of Cruising in an Even-Aged Stand of Longleaf Pine. *Journal of Forestry* 56:341-343.
85. Alemdag, S. & B. Soykan. 1958. The mirror relascope and its accuracy. *Orm. Arast. Enst. Tek. Bult.* No. 8. [in Turk.]
86. Borgeson, A. E., Colclough, D. M. & Young, H. E. 1958. A field test of the Bitterlich variable plot cruising method in Maine. University of Maine Forestry Department Technical Note 48.
87. Briscoe, C. B., Guillory, G. R. & Burchfield, O. K. 1958. Variation of sampling precision with merchantability classes in relascope estimates of basal area. *Journal of Forestry* 56:218.
88. Burchfield, O. K. 1958. Variation in precision with merchantability classes in prism estimates of basal area. Unpublished M. F. thesis. Louisiana State University, Baton Rouge, LA.
89. Carow, J. 1958. Cruising pole timber by Bitterlich's angle-count method. Michigan Academy of Science, Arts, and Letters. *Papers* 43:151-156.
90. Clear, T. 1958. Some experiences in the survey and inventory of growing stock and forest management purposes. *Irish Forestry* 15: 18-25.

91. Dillworth, J. R. 1958. Log scaling and timber cruising (revised version). Oregon State College, Cooperative Association. Corvallis, Oregon..
92. Dixon, R.M. 1958. Point-Sampling, Wedge Prisms and Their Application in Forest Inventories. Ontario Department of Lands and Forests. 13 pp.
93. Grosenbaugh, L. R. 1958. Point-sampling and line-sampling: probability theory, geometric implications, synthesis. U. S. D. A. Forest Service, Occasional paper 160. 34p.
94. Heinneman, G. 1958. Basal area and the prism--tools of forest inventory and management. *Northeastern Logger* 7:44-46.
95. Hirata, T. 1958. Sectional measurement of stands by Bitterlich's method. (In Japanese) *Japanese Forestry Society Journal* 40:27-29.
96. Hirata, T. 1958. Estimation of standing timber through the total volume of elliptic cylinders; another application of vertical angle count sampling. (In Japanese) *Japanese Forestry Society Journal* 40:473-475.
97. Hutchison, O. K. 1958. Use the "wedge" with a staff compass. Central States Forest Experiment. Station Note No. 123.
98. Kampmann, T. S. 1958. Guides for variable plot cruising in Region 6. Portland, Oregon.
99. Larson, R. W. and A. A. Hasel. 1958. A field test of forest survey techniques. North Carolina Southern Piedmont Test, May 9, 1958. RE-SE, FOREST SURVEY, Techniques Research, 44 pp.
100. Lemmon, P.E. 1958. Aids for using wedge prisms. *Journal of Forestry* 56:767-768.
101. Lindsey, A.A., J. D. Barton, and S.R. Miles. 1958. Field Efficiencies of Forest Sampling Methods. *Ecology* 39(3):428-444.
102. Morrow, R.R. 1958. Computation of volume in the Bitterlich method of cruising. *Journal of Forestry* 56:41.
103. Papava, A. 1958. Mean height determination of forest stands through the Hirata method. (in Rumanian) *Rev. Padurilor* 72:217-220.
104. Stage, A.R. 1958. An Aid for Comparing Variable Plot Radius with Fixed Plot Radius Cruise Designs. *Journal of Forestry* 56(8):592-594.
105. Strand, L. 1958. Sampling for volume along a line. *Meddelelser fra Det Norske Skogforsøksvesen* 51:327-331.
106. Takata, K. 1958. Studies of the volume estimate by basal area at breast height. (in

- Japanese) *Japanese Forestry Society Journal* 40:277-87.
107. Thornton, P. L. & Hutchison, O. K. 1958. Cumulative volume tally sheets for point sampling. Central States Forest Experiment Station Note 114.
108. Volpini, C. 1958. Il relascopio a specchio di Bitterlich. (The Bitterlich "mirror relascope.") *Monti e Basch*; 9:159-67.
109. Avery, T. E. 1959. An all purpose cruiser stick. *Journal of Forestry* 57: 924-925.
110. Bitterlich, W. 1959. Relaskoptechnik. *Cbl. ges. Forstwesen* 76:1-35.
111. Bitterlich, W. 1959. Pressler's volume determination method in a new context. *Allg. Forstzeitung* 70(5/6): 47-49. [In German].
112. Bitterlich, W. 1959. "Tariff-sampling" with tariff fork caliper and relascope. *Allg. Forstzeitung* 70(19/20): 225-226. [In German].
113. Bitterlich, W. 1959. The technique of the relascope. Efficient forest mensuration work with the mirror relascope.] *Centralblatt ges. Forstw.* 76(1): 1-35. [In German.]. (Corrections and additions).] *Centralblatt ges. Forstw.* 76(2): 116.
114. Bonnet, H.W. 1959. Guides for Variable Plot Cruising. U. S. Forest Service. Ogden, Utah. 38 pp.
115. Bower, R.F., N.C. Tuttle, G.L. Heinemann, & D.B. Ostergard. 1959. Correction and Use of Prisms for Point-Sampling. *Journal of Forestry* 57:201-202.
116. Bureau of Land Management. 1959. Timber Sale Handbook. Chapter III, "Cruise and appraisal".
117. Cunia, T. 1959. Notes on Cruising Intensity by the Bitterlich Method. *Journal of Forestry* 57:849-850.
118. Grosenbaugh, L.R. 1959. Should Continuity Dominate Forest Inventories? U.S. Forest Service Southern Forest Experiment Station. Presented at short course on Continuous Inventory Control in Forest Management, University of Georgia, Athens, Georgia, May 4-8.
119. Grosenbaugh, L.R. 1959. Quantification and Estimation in Future Forest Management. Proceedings, Society of American Foresters, San Francisco, CA.
120. Haga, T. and Maetzawa, K. 1959. Bias due to edge effect in using the Bitterlich method. *Forest Science* 5: 370-376.
121. Hirata, T. A. 1959. Statistical application of single tree volume table to the "WZP". (In Japanese.) *Japanese Forestry Society Journal* 41: 209-212.

122. Kendall, R. H. & L. Sayn-Wittgenstein. 1959. An evaluation of the relascope. Canada Department of Northern Affairs and Natural Resources. Forest Research Division. Technical Note 77.
123. Mayer, R. 1959. Der Bauramesswinkel - ein neues forstliches Messgerfit. (The angle gauge dendrometer - a new measuring device for forestry) *Allg. Forstztg.* 14: 530-532
124. Miller, C. I. 1959. The variable plot radius method of sampling timber stands. Manual for forest mensuration. Lost Lake Forestry Camp, Purdue University, Lafayette, Indiana.
125. Orr, T. J. 1959. Timber Stand Maps, Plotless Cruising, and Business Machine Computation as Elements of a Timber Survey Method. *Journal of Forestry* 57:567-572.
126. Reinhardt, R. E. 1959. The Reinhardt Redy Cruiser. The Woodsman Tool Co., 3483 South Utah St., Arlington 6, VA.
127. Stage, A.R. 1959. A Cruising Computer for Variable Plots, Tree Heights, and Slope Correction. *Journal of Forestry* 57:835-836.
128. Stohr, K. F. 1959. Ein Vorschlag zur Erreichung einer hbheren Genauigkeit bei Probeflelchen-aufnahmen nach der WinkelzShlprobe. (A proposal for the attainment of higher accuracy with angle-count sample plot surveys.) *Allg. Forst-u. Jagdztg.* 130:23-29.
129. Takata, K. 1959. Studies of the volume estimate by the basal area estimate at breast height. (Plotless sampling compared with plot sampling in Yoshimuta National Forest) (in Japanese) *Japanese Forestry Society Journal* 41:45—57.
130. Thomson, G.W. & G.H. Deitschman. 1959. Bibliography of world literature on the Bitterlich method of plotless cruising, 1947-1959. Iowa State University of Science and Technology, Agricultural and Home Economics Experiment Station. 10 pp.
131. Allen, R. H., Jr. & E. W. Mogren. 1960. Range-mean ratio of basal area as an indicator of Bitterlich sampling intensity in lodgepole pine. Colorado State University, College of Forest and Range Management Research Note 13.
132. Anonymous. 1960. A calculating drum for use with the relascope. *Skogen* 47(6) 124 (In Swedish).
133. Bay, B. 1960. Sample plots and the angle count method. *New Zealand Journal of Forestry* 8(2) 231-237.
134. Bitterlich, W. 1960. Die Entwicklung der Winkelzahlprobe. *Arch. f. Forstw.* 9(2): 136-148.
135. Bitterlich, W. 1960. Vorteile der variablen Probekreistschnik. *Allg. Forst-zeitung*

- 71(11/12): 121-123.
136. Hunt, E. V. Jr. 1960. Need a reliable point sampling board foot factor? – Look in your files. *Journal of Forestry* 58: 512-513.
137. Putman, J. A. et al. 1960. Management and inventory of southern hardwoods. U. S. D. A. Agriculture Handbook No. 181. 83 p.
138. Stage, A.R. 1960. Computing Growth from Increment Cores with Point Sampling. *Journal of Forestry* 58:531-533.
139. Bitterlich, W. 1961. Canopy density determination by the angle-count method. *Holz-Kur. Wien* 16(35): 7-8. [In German.]
140. Bitterlich, W. 1961. Relaskopische Probf1~chen nach Strand. *Allg. Forstzei-tung* 72(11/12): 128. [In German.]
141. Bitterlich, W. 1961. Suggestions to forest mensuration. *Allg. Forstzeitung* 72(17/18): 209-211. [In German.]
142. Bruce, D. 1961. *Prism cruising in the western United States and volume tables for use therewith*. Mason, Bruce and Girard. Portland, Oregon. 61 pp.
143. Del Hodge, J. 1961. Variable Plot Cruising: A Short-Cut Slope Correction Method. *Journal of Forestry* 63:176-180.
144. Johnson, F.A. 1961. Standard Error of Estimated Average Timber Volume Per Acre Under Point Sampling When Trees are Measured for Volume on a Subsample of All Points. U.S. Forest Service. Pacific Northwest Forest and Range Experiment Station Research Note No. 201. 6 pp.
145. Malain, R. J. 1961. A Test of Variable Plot Cruising in Young Growth Redwood. State Forest Notes No. 7. California Division of Forestry. 7 pp.
146. Palley, M.N. & L.G. Horwitz. 1961. Properties of Some Random and Systematic Point Sampling Estimators. *Forest Science* 7(1):52-65.
147. Palley, M.N. & W.G. O'Regan. 1961. A Computer Technique for the Study of Forest Sampling Methods. *Forest Science* 7(3):282-294.
148. Roberts, E.G. 1961. Still Another Explanation of the Theory Behind Point Sampling. *Journal of Forestry* 59:26.
149. Adams, L. 1962. The variable-plot tree stem count versus the photocanopy-meter as a measure of overstory. *Journal of Forestry* 60:567.
150. Bartorelli, U. & M. Cantiani. 1962. The stereodendrometer. *Italia Forest. E Montana*

- 17(5) 170-182 (In Italian).
151. Beers, T.W. 1962. Components of Forest Growth. *Journal of Forestry* 60:245-248.
152. Bitterlich, W. 1962. Relascope with broad scale. *Allg. Forstzeitung* 73(5/6): 62-65. [In German. English version by Richard K Hermann, Forest Res. Lab., Oregon State University, 1963-- transl. No. 13 in O.S.U. Library.
153. Hirata, T. 1962. Studies on methods for the estimation of the volume and increment of a forest by angle-count sampling. Faculty of Agriculture Bulletin, Tokyo University, Tokyo University Forests 56:1-76. (In Japanese).
154. Spurr, S. H. 1962. A Measure of Point Density. *Forest Science* 8(1):85-96.
155. Stage, A. R. 1962. A Field Test Of Point-Sample Cruising. Research Paper No. 67. U. S. Forest Service, Intermountain Forest & Range Experiment Station, Ogden, Utah. 20 pp.
156. Baraev, S. K. 1963. Determining stand volumes without measuring the trees. *Les. Khoz.* 16(8) 26-29. (In Russian).
157. Fender, D. E. & G. A. Brock. 1963. Point Center Extension: A Technique for Measuring Current Economic Growth and Yield of Merchantable Forest Stands. *Journal of Forestry* 61(2) 109-114.
158. Honer, T. G. & L. Sayn-Wittgenstein. 1963. Report of the committee on forest mensuration problems. *Journal of Forestry* 61; 667.
159. Sayn-Wittgenstein, L. 1963. An Attempt to Find the Best Basal Area Factor for Point Sampling (Project S-15). Canada Department of Forestry, Forest Research Branch 63-H-2. 17 pp.
160. Alonso, O. G. 1964. An example of the exactness in measuring trees (*Pinus sylvestris*) when using the Bitterlich relascope. *Rev. Forest. Argent.* 8(1) 13-14. (In Spanish).
161. Barrett, J. P. 1964. Correction for edge effect bias in point-sampling. *Forest Science* 10:52-55.
162. Beers, T. W. and C. I. Miller. 1964. The Purdue point-sampling block. *Journal of forestry* 62: 729-731.
163. Beers, T. W. and C. I. Miller. 1964. Point Sampling: Research Results, Theory, and Applications. Research Bulletin 786, Purdue University, Agricultural Experiment Station, Lafayette, Indiana. 56 p.
164. Hunt, E. V. Jr., R. D. Baker, & L. A. Biskamp. 1964. Point sampling from two angles. Stephen F. Austin College, Department of Forestry Bulletin 6.

165. Avery, G. & R. Newton. 1965. Plot sizes for timber cruising in Georgia. *Journal of Forestry* 63: 930-932.
166. Evert, F. 1964. Comments on "Faster Point Sampling". *Journal of Forestry* 62: 191.
167. Dilworth, J. R. & J. F. Bell. 1965. Variable plot cruising. Supplement. *In: Log scaling and Timber Cruising* by J. R. Dilworth, 1965 edition. Oregon State University Book Stores, Corvallis, Oregon.
168. Ffolliot, P. F. 1965. Multiple BAF (basal area factors) angle gage. U. S. F. S. Rocky Mountain Forest and Range Experiment Station, Research Note RM-43.
169. Hodge, J. D. 1965. Variable plot cruising a short-cut slope correction method. *Journal of Forestry* 63:176-180.
170. Kirby, C.L. 1965. Accuracy of point sampling in white spruce-aspen stands of Saskatchewan. *Journal of Forestry* 63(12):924-926.
171. O'Regan, W. G. & M. N. Palley. 1965. A Computer Technique for the Study of Forest Sampling Methods. *Forest Science* 11(1):99-114.
172. Barrett, J. P. 1966. Shortcut Sampling Methods for Eastern White Pine. *Journal of Forestry* (September):603-605.
173. Barrett, J. P. & P.H. Allen. 1966. Angle-gauge Sampling a Small Hardwood Tract. *Forest Science* 12(1):83-89.
174. Beers, T.W. & C.I. Miller. 1966. Horizontal Point Sampling Tables. Purdue University Research Bulletin No. 808. 80 pp.
175. Kuusela, K. 1966. A basal area-mean tree method in forest inventory. *Communicationes Instituti Forestalis Fenniae* 61:2 32 pp.
176. Munro, D.D. 1966. Some Personal Errors in Point Sampling. *The Forestry Chronicle* 42(4):407-413.
177. Beers, T.W. & C.I. Miller. 1967. Polyareal Plot Sampling: Terminology, Symbolism and Formulism. Purdue University Research Bulletin No. 838. 5 pp.
178. De Vries, P.G. 1967. A Possible Aid to Point Samplers. *Journal of Forestry* 65:641.
179. Holgate, P. 1967. The angle-count method. *Biometrika* 54(3 and 4):615-623.
180. Labau, V. 1967. Literature on the Bitterlich Method of Forest Cruising. US Forest Service Research Paper PNW-47. 20 pp.

181. Barrett, J. P. & J. F. Carter. 1968. Comparing Methods of Sampling a White Pine Stand. *Journal of Forestry* 66:861-863.
182. Smalley, G.W. & D.R. Bower. 1968. Volume Tables and Point-Sampling Factors for Loblolly Pines in Plantations on Abandoned Fields in Tennessee, Alabama, and Georgia Highlands. Research Paper SO-32. 6 pp.
183. Myers, C.C. & T.W. Beers. 1968. Point Sampling for Forest Growth Estimation. *Journal of Forestry* (December):927-929.
184. Beers, T.W. 1969. Slope Correction In Horizontal Plot Sampling. *Journal of Forestry* 67:188-192.
185. Hoving H. J. & C.E. Rieck. 1970. Basal Area and Point-Sampling Interpretation and Application. Department of Natural Resources Madison, Wisconsin Technical Bulletin Number 23. 52 pp.
186. Schreuder. H.T. 1970. Point Sampling Theory in the Framework of Equal-Probability Cluster Sampling. *Forest Science* 16(2):240-246.
187. Sukwong, S., W.E. Frayer & E.W. Morgan. 1971. Generalized Comparisons of the Precision of Fixed-Radius and Variable-Radius Plots for Basal-Area Estimates. *Forest Science* 17(2): 263-271.
188. Matérn, B. 1972. The Precision of Basal Area Estimates. *Forest Science* 18(2):123-125.
189. Wiant, H. V. 1974. Combine 3P and point sampling for efficient cruising. W. Va. For. Notes 2: 12-15.
190. Solomon, D.S. 1975. A Test of Point-Sampling in Northern Hardwoods. Northern Forest Experiment Station, USDA Forest Service Research Note NE-215. 2 pp.
191. Wiant, H. V. 1975. Updating a line-plot cruise on the W. Va. Univ. Forest by 3P and point sampling. W. Va. For. Notes 4: 9.
192. Yandle, D.O. 1975. Two-Stage Forest Sampling with Bitterlich First Stage and PPS Subsampling. Personal Letter. 25 pp.
193. Banyard, S.G. 1976. A Comparison Between Point Sampling and Plot Sampling in Tropical Rain Forests Based on a Concept of the Equivalent Relascope Plot Size. *Commonwealth For. Rev.* 54(3 and 4):312-320.
194. Beers, T.W. & C.I. Miller. 1976. Line Sampling for Forest Inventory. Purdue University Research Bulletin No. 934. 33 pp.
195. Wiant, H. V. & M. S. Fountain. 1976. A test of the statistical validity of a 3P and point

- sampling design. Resource Inventory Notes BLM-2: 1-3.
196. Birth, E.E. 1977. Horizontal Line Sampling In Upland Hardwoods. *Journal of Forestry* 75:590-591.
197. Ord, K. 1978. How Many Trees in a Forest? *Math. Scientist* 3:23-33.
198. Beers, T.W. 1978. Developing Efficient Techniques for Integrated Inventories. Derivation of Factors; Graphical Analysis. pp 270-275.
199. Schreuder, H.T. 1978. Count Sampling in Forestry. *Forest Science* 24(2):267-272.
200. Hitchcock, H. C. 1979. Biomass of southern hardwood regeneration estimated by vertical line sampling. *Journal of Forestry* 77:474-477.
201. Kuusela, K. 1979. Sampling of tree stock by angle gauge in proportion to tree characteristics. *Communicationes Instituti Forestalis Fenniae* 95(7) 16 pp.
202. Oderwald, R.G. 1979. Comparison of the Efficiencies of Point and Plot Sample Basal Area Estimates in Differing Stand Situations. Forest Resource Inventories Workshop Proceedings Colorado State University, Fort Collins. pp. 250-260.
203. Satyamurthi, K.R. 1979. Sampling with a Rope – A Novel and Useful Method. *Indian Forester* 105:50-56.
204. Ueno, Y. 1979. A new method of estimating stand volume (I). *Journal Jap. For. Soc.* 61:346-348.
205. Wiant, H. V. & W. R. Maxey. 1979. Board-Foot Factors for Point Sampling. *Journal of Forestry* 77:29.
206. Wiant, H. V & B. Zeide. 1979. A note on double sampling-point sampling. Resource Inventory Notes BLM-24: 14-15.
207. Yandle, D.O. 1979. A Generalization of Techniques for Sampling Finite Populations that are Spatially Distributed in Two or More Dimensions. Forest Resource Inventories Workshop Proceedings Vol. II: 966-982.
208. Zeide, B. & J. K. Troxell. 1979. Selection of the Proper Metric Basal Area Factor for Appalachian Mixed Hardwoods. In Forest Resource Inventories Vol. II edited by W.E. Frayer. pp. 261-929.
209. Ranneby, B. 1980. The precision of the estimates of the growth in basal area. Swedish University of Agricultural Sciences, Section of Forest Biometry, 901 83 Umea, Report No. 19. 25 pp.

210. Ueno, Y. 1980. A new method of estimation stand volume (II) Precision of the method. *Journal Jap. For. Soc.* 62:315-320.
211. Wensel, L.C., J. Levitan, & K. Barber. 1980. Selection of Basal Area Factor in Point Sampling. *Journal of Forestry* February:83-84.
212. Oderwald, R.G. 1981. Comparison of Point and Plot Sampling Basal Area Estimators. *Forest Science* 27(1):42-48.
213. Oderwald, R.G. 1981. Point and Plot Sampling – The Relationship. *Journal of Forestry* 79:377-378.
214. Schreuder, H.T., D.S. Schreiner, & T.A. Max. 1981. Ensuring an Adequate Sample at Each Location in Point Sampling. *Forest Science* 27(3):567-573.
215. Wiant, H. V. & D. E. Wingerd. 1981. Biomass factors for point sampling in Appalachian hardwoods. *Journal of Forestry* 79: 21-29.
216. Yandle, D.O. & H.V. Wiant. 1981. Comparison of Fixed-Radius Circular Plot Sampling With Simple Random Sampling. *Forest Science* 27(2):245-252.
217. Oderwald, R.G. 1982. Point Sampling Instruction Manual. Department of Forestry Virginia Polytechnic Institute and State University Blacksburg, Virginia. 54 pp.
218. Bell, J. F., K. Iles, & D. B. Marshall. 1983. Balancing the ratio of tree count-only sample points and VBAR measurements in variable plot sampling. IN; Renewable Resource Inventories for Monitoring Changes and Trends, August 15-19, 1983, Corvallis, Oregon (J. F. Bell, T. Atterbury, eds.) Publication SAF 83-14.
219. Gertner, G.Z. 1983. Control of sampling error and measurement error in a horizontal point cruise. *Canadian Journal Forest Research* 14:40-43.
220. Martin, G.L. 1983. The Relative Efficiency of Some Forest Growth Estimators. *Biometrics* 39:639-650.
221. Bitterlich, W. 1984. *The Relascope Idea: Relative Measurements in Forestry*. Commonwealth Agricultural Bureaux: Slough, England.
222. Chambers, C. J. 1984. Calculating Growth From Variable Plots: Are We Fitting Square Pegs Into Round Holes? Paper presented at Growth and Yield and of Mensurational Tricks: A Regional Technical Conference, Logan, UT, November 6-7, 1984.
223. Flewelling, J. W. & C.E. Thomas. 1984. An Improved Estimator for Merchantable Basal Area Growth Based on Point Samples. *Forest Science* 30(3):813-821.
224. Wiant, H. V., D. O. Yandle & R. Andreas. 1984. Is BAF 10 a good choice for point

- sampling? *Northern Journal of Applied Forestry* 2: 23-24
225. Wiant, H. V., Jr. 1985. Minimize field time when cruising Appalachian hardwoods. *Northern Journal of Applied Forestry* 2:70-95.
226. Wiant, H. V., Jr., C. W. Gambill, and D. O. Yandle. 1985. Optimum plot size and BAF. *Forest Science* 31: 587-594.
227. Wiant, H. V., Jr. 1985? Are we too enamored of point sampling? Unpublished manuscript, with commentary by L. R. Grosenbaugh.
228. Zeide, B. 1985. Distance to Point-Sampled Trees and Their Diameters. *Forest Ecology and Management* 11:131-137.
229. Zeide, B. 1985. How Much Space Does a Seedling Need? *Forest Ecology and Management* 11:225-229.
230. Van Deusen, P.C., T.R. Dell, & C.E. Thomas. 1986. Volume growth estimation from permanent horizontal points. *Forest Science* 32(2):415-422.
231. Lappi, J. & R. L. Bailey. 1987. Estimation of the diameter increment function or other tree relations using angle-count samples. *Forest Science* 33(3) 725-739.
232. Wiant, H. V. & R. R. Cristan. 1987. A test of 3P and point sampling. West Virginia. *Forestry Notes* 13: 34.
233. Yang, Y. & C. Wang. 1987. Expectations and Variances of Basal Area Estimates Using Remeasured Horizontal Line Sampling. *Forest Science* 33(1):174-184.
234. Iles, K. & M. Fall. 1988. Can an angle gauge really evaluate "borderline trees" accurately in variable plot sampling? *Canadian Journal Forest Research* 18:774-781.
235. Iles, K. & W. H. Wilson. 1988. Changing angle gauges in variable plot sampling: is there a bias under ordinary conditions? *Canadian Journal Forest Research* 18:768-773.
236. Lynch, T.B. 1988. Volume Estimation from Sample Tree Counts with Certain Individual Tree Volume Equations. *Forest Science* 34(3):677-697.
237. Anon. 1989. Subsampling for VBAR. Inventory and Cruising Newsletter, No. 8.
238. Van Deusen, P.C & J. M. Grender. 1989. An Alternative Estimator for Horizontal Point Clusters. *Forest Science* 35(1):257-262.
239. Oderwald, R.G. 1990. Point Sampling Instruction Manual. Department of Forestry Virginia Polytechnic Institute and State University Blacksburg, Virginia. 50 pp.

240. Lynch, T.B. 1990. Stand volume estimation from tree counts in the content of vertical line sampling. *Canadian Journal Forest Research* 20:274-279.
241. Zeide, B. 1990. Point Sampling in Theory and Practice. Department of Forest Resources University of Arkansas at Monticello Arkansas Agricultural Experiment Station. 23 pp.
242. Mackisack, M.S. & G.B. Wood. 1990. Simulating the forest and the point-sampling process as an aid in designing forest inventories. *Forest Ecology and Management* 36:79-103.
243. Thomas, C.E. & F.A. Roesch. 1990. Basal Area Growth Estimators for Survivor Component: A Quality Control Application. *Southern Journal of Applied Forestry* 14(1):12-18.
244. Matney, T.G. & R.C. Parker. 1991. Stand and Stock Tables from Double-Point Samples. *Forest Science* 37(6):1605-1613.
245. Reich, R. & H.T. Schreuder. 1991. Estimation of Stand Means and Other Ratios in Point Sampling – A Simulation Study. *Forestry Futures Proceedings of Midwestern Forest Mensurationists* Edited by Bijan Payandeh. Page 106.
246. Roesch, F.A., E. J. Green, & C.T. Scott. 1991. Compatible basal area and number of trees estimators from remeasured horizontal point samples. *Forest Science* 37(1):136-145.
247. Armstrong J. B. & C. F. J. Wu. 1992. A Sample Allocation Method for Two-Phase Survey Designs. *Survey Methodology* 18(2):253-262.
248. Green, E. J. 1992. Assessing forest growth with point sampling data. *Conservation Biology* 6(2):296-297
249. Lynch, T.B. & M.M. Huebschmann. 1992. Estimating diameter increment by DBH class with horizontal point sampling data. *Forest Ecology and Management* 51:285-299.
250. Oderwald, R.G. & E. Jones. 1992. Sample sizes for point, double sampling. *Canadian Journal of Forest Research* 22:980-983.
251. Rennie, J. C. 1992. Point-Model dependent sampling for timber inventory. Bulletin 675 The University of Tennessee Agricultural Experiment Station Knoxville, Tennessee. 29 p.
252. Zeide, B. 1992. Has pine growth declined in the southeastern United States. *Conservation Biology* 6(2) 185-195.
253. Deville, J-C. 1993. Optimum Two-Stage Sample Design for Ratio Estimators: Application to Quality Control – 1900 French Census. *Survey Methodology* 19(2):173-182.
254. Gregoire, T. G. 1993. Estimation of forest growth from successive surveys. *Forest*

Ecology and Management. 56: 267-278.

255. Gregoire, T. G. 1993. A set theoretic view of growth component estimation with successive variable-radius plot samples. In the proceedings of the meeting on Growth and Yield Estimates from Successive Forest Inventories, International Union of Forest Research Organizations, S4.02.03, Copenhagen, Denmark, June 14-17, 1993. (J. K. Vanclay, J. P. Skovsgaard, and G. Z. Gertner, eds.). pp. 140-147
256. Hradetzky, J. 1993. Concerning the precision of growth estimation using permanent horizontal point samples. Presented at The Growth and Yield Estimation from Successive Forest Inventories, Proceedings from the IUFRO Conference, Copenhagen, 14-17 June 1993. pp 31-41.
257. Matney, T.G, R.C. Parker, & K.L. Belli. 1993. Double-Point Sample Stand and Stock Table Correction. Presented at the Biometric Working Group Technical Session at the SAF National Convention, Indianapolis, IN, November 7-10, 1993.
258. Matern, B. (1993) On spatial statistics in forestry. In Proceedings of the Meeting of IUFRO S.4.11-00 held in Berlin. August 30 – September 4, 1992.
259. Oderwald, R. G. 1993. Stratification gains in cruising: proportional allocation. *Southern Journal of Applied Forestry* 17(2) 96-99.
260. Oderwald, R.G. & E.A. Jones. 1993. Cost Effectiveness of Point-Double Sampling. Presented at the Recent Developments in Inventory and Biometrics Session at the SAF National Convention, Indianapolis, IN, November 7-10, 1993.
261. Roesch, F.A., E. J. Green, & C.T. Scott. 1993. An Alternative View of Forest Sampling. *Survey Methodology* 19(2):199-204.
262. Roesch, F.A., E. J. Green, & C.T. Scott. 1993. A test of alternative estimators for volume at time 1 from remeasured point samples. *Canadian Journal Res.* 23:598-604.
263. Roesch, F.A. & P.C. Van Deusen. 1993. Control Variate Estimators of Survivor Growth from Point Samples. *Forest Science* 39(1):66-77.
264. Stage, A.R. 1993. How to Sample Within Stands. In Stand Inventory Technologies 92 Proceedings of the Stand Inventory Technologies: An International Multiple Resource Conference.
265. Nelson, R. and T. G. Gregoire. 1994. Two-stage sampling: a comparison of three procedures to estimate aggregate volume. *Forest Science* 40:247-266
266. Oderwald, R.G. 1994. Stock and stand tables for point, double sampling with a ratio of means estimator. *Canadian Journal of Forest Research* 24:2350-2352.

267. Stage, A.R. & J. C. Rennie. 1994. Fixed-Radius Plots or Variable-Radius Plots? *Journal of Forestry* 92(12): 20-24.
268. Eriksson, M. 1995. Compatible and time-additive change component estimators for horizontal-point-sampled data. *Forest Science* 41(4):796-822.
269. Eriksson, M. 1995. Design-based approaches to horizontal-point sampling. *Forest Science* 41(4):890-907.
270. Gregoire, T.G. 1995. Variance derivations and related aspects of growth component estimators with successive variable-radius-plot samples. *Forest Ecology and Management* 71:211-216.
271. Lynch, T.B. 1995. Compatible estimation of components of forest growth from remeasured point samples with restricted generalized least squares. *Forest Science* 41(3):611-628.
272. Mitchell, W.A. and Hughes, H.G. (1995) Point Sampling. Technical Report EL-95-25, Environmental Impact Research Program, Section 6.2.1, U.S. Army Corps of Engineers Wildlife Resources Manual. 22pp plus appendices.
273. Mitchell, W. A., H. G. Hughes, L. E. Marcy. 1995. Prism sampling. Technical Report EL-95-24, Environmental Impact Research Program, Section 6.2.3, U. S. Army Corps of Engineers Wildlife Resources Management Manual. U. S. Army Engineer Waterways Experiment Station, Vicksburg, MS. 32 pp. plus appendices
274. Gering, L.R. 1997. Point-Sampling of Tree Crowns Using Aerial Photographs for Forest Inventory. *The Southern Journal of Applied Forestry* 21(1):28-36.
275. Ritchie, M.W. 1997. Minimizing the Rounding Error from Point Sample Estimates of Tree Frequencies. *Western Journal of Applied Forestry* 12(4):108-114.
276. Maltamo, M. & J. Uuttera. 1998. Angle-count sampling in the description of forest structure. *Forest and Landscape Research* 1: 447-471.
277. Maltamo, M. & Uuttera, J. (1998) Angle-count sampling in the description of forest structure. *Forest and Land Resources Journal* 1:447-471.
278. Ducey, M. J. 1999. What expansion factor should be used in binned probability proportional to size sampling. *Canadian Journal of Forest Research* 29:1290-1294.
279. Focus. 1999. Do Mixed Stands Need More Measured Plots? *Journal of Forestry* 29(12).
280. Ducey, M. J. 2000. Prism Cruising with Diameter Classes: Theoretical Considerations

- and Practical Recommendations. *Northern Journal of Applied Forestry* 17(3):110-115.
281. Gove, J. H., M. J. Ducey, G. Stahl, & A. Ringvall. 2001. Point Relascope Sampling A New Way to Assess Downed Coarse Woody Debris. *Journal of Forestry* 99(4):4-11.
282. Heikkinen, J. and Henttonen, H. 2002. Re-measured relascope plots in the assessment of inventory update methods. In J. Heikkinen, K. T. Korhonen, M. Siitonen, M. Strandström and E. Tomppo (editors): *Nordic Trends in Forest Inventory, Management Planning and Modelling*. Proceedings of SNS Meeting in Solvalla, Finland, April 17-19, 2001. 113-118.
283. White, J. M. 2002. How much wood is in your woods? A quick and simple method for pine timber volume estimation. FOR102, School of Forest Resources and Conservation, Institute of Food and Agricultural Sciences, Florida Agricultural Extension Service, University of Florida.
284. Affleck, D.L.R. 2003. Notes on the Theory and Performance of Distance Count Sampling. Student paper. 10 pp.
285. Brissette, J.C., Ducey, M.J. and Gove, J.H. (2003) A field test of point relascope sampling of down coarse woody materials in managed stands in the Acadian forest. *Journal of the Torrey Botanical Society* 130 (2): 79-88.
286. Williams, M.S. & J. H. Gove. 2003. Perpendicular distance sampling: an alternative method for sampling downed coarse woody debris. *Canadian Journal Forest Research* 33:1564-1579.
287. Burk, T.E. (2004) Quicker/Cheaper stand assessments. *Staff paper series no. 139*. Department of Forest Resources. University of Minnesota.
288. Brooks, J. R. & D. W. McGill. 2004. Evaluation of multiple fixed area plot sizes and BAFs in even-aged hardwood stands. IN: Proceedings of the 14th Central hardwood Forest Conference (Yaussy, Brooks, McGill, eds) USDA Forest Service GTR-NE-316.
289. Flewelling, J. W. & K. Iles. 2004. Area-Independent Sampling for Total Basal Area. *Forest Science* 50(4):512-517.
290. Marshall, D.D., K. Iles, & J. F. Bell. 2004. Using a large-angle gauge to select trees for measurement in variable plot sampling. *Canadian Journal of Forest Research* 34:840-845.
291. Iles, K. 2005(?) "Distance-variable" estimators for sampling and change measurement. Unpublished manuscript.
292. Gove, J. H., M. S. Williams, G. Ståhl, and M. J. Ducey. 2005. Critical point relascope sampling for unbiased volume estimation of downed coarse woody debris. *Forestry* 78(4)417-431.

293. Brooks, J. R. 2006. An evaluation of big basal area factor sampling in Appalachian hardwoods. *Northern Journal of Applied Forestry* 23(1) 62-65.
294. Iles, K. and Smith, N. (2006). A new type of sample plot that is particularly useful for sampling small clusters of objects. *Forest Science* 52 (2): 148-154.
295. Lynch, T. B. 2006. Horizontal line sampling for riparian forests without land area estimation. *Forest Science*, 52(2) 119-129.
296. Lynch, T.B. (2006) Horizontal line sampling for riparian forests without land area estimation. *Forest Science* 52(2): 119-129.
297. Lynch, T. B. 2006. Variance reduction for sector sampling. *Forest Science* 53(3) 251-261.
298. Lynch, T.B. (2006). Variance reduction for sector sampling. *Forest Science* 52(3): 251-261.
299. Lynch, T.B. (2007) Variance reduction for radial line sampling coverage estimators. *Forest Science* (In press).
300. Smith, N.J., Iles, K. and Raynor, K. (2008). Investigation of some sector sampling statistical properties. *Forest Science* 54(1): 67-76.

Growth Estimation

1. Kitagawa, E.M. 1955. Components of a difference between two rates. *JASA* 50:1168-1194.
2. Hall, O.F. 1959. The Contribution of Remeasured Sample Plots to the Precision of Growth Estimates. *Journal of Forestry* 57(11):807-811.
3. Raj, D. 1965. On Sampling Over Two Occasions with Probability Proportional to Size. *Annals of Math Stat* 36:325-330.
4. Myers, C.C. & T.W. Beers. 1968. Point Sampling for Forest Growth Estimation. *Journal of Forestry* 66(12):927-929.
5. Barrett, J. P. 1969. Estimating Averages from Point-Sample Data. *Journal of Forestry* 67:185.

6. Bell, J. F. 1974. Sampling with unequal probabilities to estimate cubic-foot volume growth on permanent sample plots. In Contributions to Increment Research, IUFRO. pp 71-80.
7. Flewelling, J. W. 1981. Compatible estimates of basal area and basal area growth from remeasured point samples. *Forest Sci.* 27(1):191-203.
8. Iles, K. 1981. Permanent "Variable" Plots for Forest Growth to Have and to Hold...? Paper presented at the 1981 Annual Meeting Western Forest Mensurationists, Ketchum, Idaho. 10 pp.
9. Martin, G.L. 1982. A method for estimating ingrowth on permanent horizontal sample points. *Forest Sci.* 28(1):110-114.
10. Iles, K. & T.W. Beers. 1983. Growth information from variable plot sampling. Proceedings: Renewable Resource Inventories for Monitoring Changes and Trends. Corvallis, Oregon. pp 693-695.
11. Thomas, C.E. 1983. Role of the southern forest survey in growth and yield modeling: current efforts. In Predicting growth yield in the mid-south, edited by J. E. Hotvedt and B.D. Jackson. Louisiana State University. pp 141-149.
12. Anderson, H. 1985. Estimation of the current mean in a population with varying composition. In Contributions to Probability and Statistics in Honour of Gunnar Blom, edited by Journal Lank & G. Lindgren. University of Lund. 24 pp.
13. Duncan, G. J. & G. Kalton. 1987. Issues of Design and Analysis of Surveys Across Time. *International Statistical Review* 55(1):97-117.
14. Van Deusen, P.C. 1987. Combining taper functions and critical height sampling for unbiased stand volume estimation. *Canadian Journal of Forest Research* 17:1416-1420.
15. Yang, Y & S. Chao. 1987. Comparison of Volume Calculation Methods for Remeasured Horizontal Line Sampling. *Forest Science* 33(4):1062-1067.
16. Holt, D. & C. J. Skinner. 1989. Components of change in repeated surveys. *International Statistical Review* 57(1):1-18.
17. Roesch, F.A., E. J. Green, & C.T. Scott. 1989. New compatible estimators for survivor growth and ingrowth from remeasured horizontal point samples. *Forest Sci.* 35(2):281-293.
18. Scott, C.T. 1990. Fixed-area variable-radius plots for change estimation. In State-of-the-art Methodology of Forest Inventory: A Symposium Proceedings. Edited by V. Journal LaBau & T. Cunia. US Department of Agriculture General Technical Report PNW-GTR-

263. pp 126-132.
19. Kalton, G. & C.F. Citro. 1993. Panel surveys: Adding the fourth Dimension. *Survey Methodology* 19(2): 205-215.
 20. Arora, V., P. Lahiri, & K. Mukherjee. 1997. Empirical Bayes estimation of finite population means from complex surveys. *JASA* 92(440):1555-1562.
 21. Cotton, F. & C. Hesse. 1997. Sampling and Maintenance of a Stratified Panel of Fixed Size. *Survey Methodology* 23(2):109-117.
 22. Scott, C.T. 1998. Sampling methods for estimating change in forest resources. *Ecological Applications* 8(2):228-233.
 23. Williams, M.S. 1998. Distinguishing between change and growth in forest surveys. *Canadian Journal of Forest Research* 28(2): 1099-1106.