

Last revised: January 2007

SEEMINGLY UNRELATED REGRESSION BIBLIOGRAPHY
1962-Present (57 entries)

1. Zellner, A. (1962). An efficient method of estimating seemingly unrelated regressions and tests for aggregation bias. *Journal of the American Statistical Association* 57(298): 348-368.
2. Zellner, A. and Huang, D.S. (1962). Further properties of efficient estimators for seemingly unrelated regression equations. *International Economic Review* 3(3): 300-313.
3. Zellner, A. (1963). Estimators for seemingly unrelated regression equations: some exact finite sample results. *Journal of the American Statistical Association* 58(304): 977-992.
4. Telser, L.G. (1964). Iterative estimation of a set of linear regression equations. *Journal of the American Statistical Association* 59(307): 845-862.
5. Kakwani, N.C. (1967). The unbiasedness of Zellner's seemingly unrelated regression equations estimators. *Journal of the American Statistical Association* 62(317): 141-142.
6. Parks, R.W. (1967). Efficient estimation of a system of regression equations when disturbances are both serially and contemporaneously correlated. *Journal of the American Statistical Association* 62(318): 500-509.
7. Kmenta, J. and Gilbert, R.F. (1968). Small sample properties of alternative estimators of seemingly unrelated regressions. *Journal of the American Statistical Association* 63(324): 1180-1200.
8. Rao, P. and Griliches, Z. (1969). Small-sample properties of several two-stage regression methods in the context of auto-correlated errors. *Journal of the American Statistical Association* 64(325): 253-272.
9. Kmenta, J. and Gilbert, R.F. (1970). Estimation of seemingly unrelated regressions with autoregressive disturbances. *Journal of the American Statistical Association* 65(329): 186-197.
10. Guilkey, D.K. and Schmidt, P. (1973). Estimation of seemingly unrelated regressions with vector autoregressive errors. *Journal of the American Statistical Association* 68(343): 642-647.
11. Revankar, N.S. (1974). Some finite sample results in the context of two seemingly unrelated regression equations. *Journal of the American Statistical Association* 69(345): 187-190.
12. Singh, B. and Ullah, A. (1974). Estimation of seemingly unrelated regressions with random coefficients. *Journal of the American Statistical Association* 69(345): 191-195.

13. Gallant, A.R. (1975). Seemingly unrelated nonlinear regressions. *Journal of Econometrics* 3: 35-50.
14. Mehta, J.S. and Swamy, P.A.V.B. (1976). Further evidence on the relative efficiencies of Zellner's seemingly unrelated regressions estimator. *Journal of the American Statistical Association* 71(355): 634-639.
15. Revankar, N.S. (1976). Use of restricted residuals in SUR systems: some finite sample results. *Journal of the American Statistical Association* 71(353): 183-188.
16. Avery, R.B. (1977). Error components and seemingly unrelated regressions. *Econometrica* 45(1): 199-209.
17. McElroy, M.B. (1977). Goodness of fit for seemingly unrelated regressions. *Journal of Econometrics* 6: 381-387.
18. Schmidt, P. (1977). Estimation of seemingly unrelated regressions with unequal numbers of observations. *Journal of Econometrics* 5: 365-377.
19. Dwivedi, T.D. and Srivastava, V.K. (1978). Optimality of least squares in the seemingly unrelated regression equation model. *Journal of Econometrics* 7: 391-395.
20. Schmidt, P. (1978). A note on the estimation of seemingly unrelated regression systems. *Journal of Econometrics* 7: 259-261.
21. Srivastava, V.K. and Dwivedi, T.D. (1979). Estimation of seemingly unrelated regression equations: a brief survey. *Journal of Econometrics* 10: 15-32.
22. Baltagi, B.H. (1980). On seemingly unrelated regressions with error components. *Econometrica* 48(6): 1547-1551.
23. Maeshiro, A. (1980). New evidence on the small properties of estimators of SUR models with autocorrelated disturbances. *Journal of Econometrics* 12: 177-187.
24. Kariya, T. (1981). Bounds for the covariance matrices of Zellner's estimator in the SUR model and the 2SAE in a heteroscedastic model. *Journal of the American Statistical Association* 76(376): 975-979.
25. Vinod, H.D. and Ullah, A. (1981). Recent advances in regression methods. New York: Marcel Dekker. (pages 241-261)
26. Conniffe, D. (1982a). A note on seemingly unrelated regressions. *Econometrica* 50(1): 229-233.

27. Conniffe, D. (1982b). Covariance analysis and seemingly unrelated regressions. *The American Statistician* 36(3,1): 169-171.
28. Gupta, A.K. and Rohatgi, V.K. (1982). Estimation of covariance from unbalanced data. *Sankhya* 44(B, 2): 143-153.
29. Wang, G.H.K. and Fuller, W.A. (1982). Estimators for a simultaneous equation model with lagged endogenous variables and autocorrelated error. *Communications in Statistics-Simulation and Computation* 11(2): 123-142.
30. Cunia, T. and Briggs, R.D. (1984). Forcing additivity of biomass tables: some empirical results. *Canadian Journal of Forest Research* 14: 376-384.
31. Fomby, T.B., Hill, R.C. and Johnson, S.R. (1984). Advanced econometric methods. New York : Springer-Verlag. (pages 155-169)
32. Prucha, I.R. (1984). On the asymptotic efficiency of feasible Aitken estimators for seemingly unrelated regression models with error components. *Econometrica* 52(1): 203-207.
33. Conniffe, D. (1985). Estimating regression equations with common explanatory variables but unequal numbers of observations. *Journal of Econometrics* 27: 179-196.
34. Judge, G.G., Griffiths, W.E, Hill, R.C. and Lütkepohl, H. (1985). Chapter 12: Disturbance-related sets of regression equations. *The Theory and Practice of Econometrics* (2nd ed., pp. 465-514). New York: Wiley.
35. Stanek, E.J., III and Koch, G.G. (1985). The equivalence of parameter estimates from growth curve models and seemingly unrelated regression models. *The American Statistician* 39(2): 149-152.
36. Wilson, B.K. (1985). Simultaneity and its impact on ecological regression applications. *Biometrics* 41: 435-445.
37. Srivastava, V.K. and Giles, D.E.A. (1987). Seemingly unrelated regression equations models: estimation and inference. New York: Marcel Dekker.
38. Binkley, J.K. and Nelson, C.H. (1988). A note on the efficiency of seemingly unrelated regression. *The American Statistician* 42(2): 137-139.
39. Dielman, T.E. (1988). Chapter 3: Seemingly unrelated regressions. *Pooled cross-sectional and time series data analysis* (pp. 29-47). New York: Marcel Dekker, Inc.
40. Gregoire, T.G. and Walters, D.K. (1988). Composite vector estimators derived by weighting inversely proportional to variance. *Canadian Journal of Forest Research* 18: 282-284.

41. Judge, G.G., Hill, R.C., Griffiths, W.E. and Lütkepohl, H. (1988). *Introduction to the theory and practice of econometrics*, 2nd ed. New York: Wiley. (pages 444-468)
42. Stanek, E.J., III (1988). Choosing a pretest-posttest analysis. *The American Statistician* 42(3): 178-183.
43. Van Deusen, P.C. (1988). Simultaneous estimation with a squared error loss function. *Canadian Journal of Forest Research* 18: 1093-1096.
44. Verbyla, A.P. (1988). Analysis of repeated measures designs with changing covariates. *Biometrika* 75(1): 172-174.
45. Rocke, D.M. (1989). Bootstrap Bartlett adjustment in seemingly unrelated regression. *Journal of the American Statistical Association* 84(406): 598-601.
46. Bartels, R. and Fiebig, D.G. (1991). A simple characterization of seemingly unrelated regressions models in which OLS is BLUE. *The American Statistician* 45(2): 137-140.
47. Percy, D.F. (1992). Prediction for seemingly unrelated regressions. *Journal of the Royal Statistical Society Series B* 54(1): 243-252.
48. Lynch, T.B. and Murphy, P.A. (1995). A compatible height prediction and projection system for individual trees in natural, even-aged shortleaf pine stands. *Forest Science* 41(1): 194-209.
49. Rochon, J. (1995). Supplementing the intent-to-treat analysis: accounting for covariates observed postrandomization in clinical trials. *Journal of the American Statistical Association* 90(429): 292-300.
50. Rochon, J. (1996a). Accounting for covariates observed post randomization for discrete and continuous repeated measures data. *Journal of the Royal Statistical Society Series B* 58(1): 205-219.
51. Rochon, J. (1996b). Analyzing bivariate repeated measures for discrete and continuous outcome variables. *Biometrics* 52(2) : 740-750.
52. Potts, J.M. (1996). Methods for estimating common parameters in dependent regressions applied to data from the Rothamsted Park Grass Experiment. *Journal of Agricultural, Biological, and Environmental Statistics* 1(3): 323-335.
53. Fitzmaurice, G.M. and Laird, N.M. (1997). Regression models for mixed discrete and continuous responses with potentially missing values. *Biometrics* 53: 110-122.
54. Gregoire, Timothy (1997). Email addressed to Russ Wolfinger with SAS output.

55. Hamilton, D.C. and Knop, O. (1998). Combining non-linear regressions that have unequal error variances and some parameters in common. *Applied Statistics* 47(2): 173-185.
56. Rose, C.E., Jr. and Lynch, T.B. (2001). Estimating parameters for tree basal area growth with a system of equations and seemingly unrelated regressions. *Forest Ecology and Management* 148: 51-61.
57. Carroll, R.J., Midthune, D., Freedman, L.S. and Kipnis, V. (2006). Seemingly unrelated measurement error models, with application to nutritional epidemiology. *Biometrics* 62: 75-84.