

Last revised: July 2009

Bibliography
Taper and Form
(138 entries)

1. Claughton-Wallin, H. and F. McVicker. 1920. The Jonson "Absolute Form Quotient" as an Expression of Taper. *Journal of Forestry* 18:346-357.
2. Behre, C.E. 1923. Preliminary Notes on Studies of Tree Form. *Journal of Forestry* 21: 507-511.
3. Wright, W.G. 1923. Investigation of Taper as a Factor in Measurement of Standing Timber. *Journal of Forestry* 21:569-581.
4. Behre, C.E. 1924. Is Taper Based on Form Quotient Independent of Species and Size? *Journal of Forestry* 22:282-290.
5. Schumacher, F.X. 1924. The Stem Form and Form Quotient of Second-Growth Redwood. *Journal of Forestry* 22:190-201.
6. Schumacher, F.X. 1926. A Method of Measuring Form Quotient of Standing Trees. *Journal of Forestry* 24:552-554.
7. Behre, C.E. 1927. Form-Class Taper Curves and Volume Tables and Their Application. *Journal of Agricultural Research* 35(8):673-744.
8. Ker, J.W. and J.H.G. Smith. 1955. Advantages of the Parabolic Expression of Height-Diameter Relationships. *Forestry Chronicle*, September, 236-246.
9. Gray, H.R. 1956. The Form and Taper of Forest-Tree Stems. Imperial Forestry Institute Paper No. 32, University of Oxford, 79 pages.
10. Larson, P.R. 1963. Stem Form Development of Forest Trees. *Forest Science*, Monograph 5.
11. Pollanschutz, J. 1965. A New Method of Determining Stemform-Factor of Standing Trees. Research Notes, Royal College of Forestry, Dept. of Forest Biometry, Stockholm, pages 266-276.
12. Prodan, M. 1965. A Simplification of the Volume Tariff Systems. Research Notes, Royal College of Forestry, Dept. of Forest Biometry, Stockholm, pages 277-293.
13. Turnbull, K.J. and G.E. Hoyer. 1965. Construction and Analysis of Comprehensive Tree-Volume Tarif Tables. 64 pages.
14. Fries, J. and B. Matérn. 1966. On the use of multivariate methods for the construction of tree taper curves. Proceedings of the second conference of the International Advisory Group of

- Forest Statisticians of the International Union of Forest Research Organizations. Institutionen för skoglig matematisk statistik, Skogshögskolan (Department of Forest Biometry, Royal College of Forestry). Rapporter och Uppsatser (Research Notes) Nr.9. Stockholm, 27 September – 1 October 1965.
15. Grosenbaugh, L.R. 1966. Tree Form: Definition, Interpolation, Extrapolation. *Forestry Chronicle* 42:444-457.
 16. Arvantis, L.G. 1968. Forest Measurement. Canada Forestry Service, Biometry Research Notes 24(2):16-17.
 17. Bruce, D., R.O. Curtis, and C. Vancoevering. 1968. Development of a System of Taper and Volume Tables for Red Alder. *Forest Science* 14(3).
 18. Evert, F. 1968. Form Height and Volume Per Square Foot of Basal Area. *Journal of Forestry* April:358-359.
 19. Evert, F. 1968. Use of Form Factor in Tree-Volume Estimation. *Journal of Forestry* February: 126-128.
 20. Kozak, A., D.D. Munro, and J.H.G. Smith. 1969. Taper Functions and their Application in Forest Inventory. *The Forestry Chronicle* 45:278-283.
 21. Hoyer, G.E. 1971. Tarif Tables; Their Use in Timber Stand Volume Measurement. State of Washington, DNR, Forest Land Management Division Contribution No. 155. Presented at the Annual Meeting of Western Mensurationists, November 30, Portland, Oregon. Pages 173-180.
 22. Bennett, F.A. and B.F. Swindel. 1972. Taper Curves for Planted Slash Pine. USDA Forest Service Research Note SE-179, 4 pages.
 23. Bruce, D. 1972. Some Transformations of the Behre Equation of Tree Form. *Forest Science* 18(2):164-166.
 24. Demaerschalk, J.P. 1972. Converting Volume Equations to Compatible Taper Equations. *Forest Science* 18(3):241-245.
 25. Brackett, M. 1973. Notes on Tarif Tree Volume Computation. State of Washington, DNR, Resource Management Report #24, 26 pages.
 26. Demaerschalk, J.P. 1973. Integrated Systems for the Estimation of Tree Taper and Volume. *Canadian Journal of Forest Res.* 3(90):90-94.
 27. Wiant, Jr., H.V., D.M. Holland, and W.R. Maxey. 1973. Height tallies fewer, using tariff system for sawtimber estimates. *Forest Industries*, September, 1 page.
 28. Wiant, Jr., H.V. 1974. Tarif System Provides Local Sawtimber Volume Tables. 6 pages.

29. Wiant, Jr., H.V. and W.R. Maxey. 1974. Improving Form Class Estimations on Forest Trees. *The Consultant*, July, 6 pages.
30. Wiant, Jr., H.V. and W.R. Maxey. 1974. Does Form Class Vary with DBH in Second-Growth Hardwood Stands? *The Consultant*, January, 2 pages.
31. Brickel, J.E. 1976. Measurement of Upper Stem Diameters for Purposes Other Than Direct Volume Measurements. Bias and Precision of the Barr and Stroud Dandrometer Under Field Conditions. Res. Pop., INT-186, page 34.
32. Max, T.A. and H.E. Burkhart. 1976. Segmented Polynomial Regression Applied to Taper Equations. *Forest Science* 22(3):283-289.
33. Soerangadjiwa, M.H. 1976. The Applicability of Krenn's Mean Tree Tariff for Volume Determination of *Pinus merkusii* in Indonesia. IUFRO Congress, pages 515-523.
34. Kilikko, P., M. Saramaki, and M. Varmola. 1978. A Simultaneous Equation Model to Determine Taper Curve. *Silva Fennica* 12(2):120-125.
35. Chambers, Jr., C.J. and B.W. Foltz. 1979. The Tarif System—Revisions and Additions. State of Washington, DNR Note No. 27, 8 pages.
36. Kilkki, P. and M. Varmola. 1979. A Nonlinear Simultaneous Equation Model to Determine Taper Curve. *Silva Fennica* 13(4):293-303.
37. Goulding, C.J. 1979. Cubic Spline Curves and Calculation of Volume of Sectionally Measured Trees. *New Zealand Journal of Forest Science* 9(1):89-99.
38. Lahtinen, A. and J. Laasasenaho. 1979. On the Construction of Taper Curves by Using Spline Functions. *Seloste: Runkokayran muodostaminen splini-funktiolla*. *Commun. Inst. For. Fenn.* 95(8):1-63.
39. Chambers, C.J. and B.W. Foltz. 1980. Comprehensive Tree-Volume Tarif Tables, 3rd edition. State of Washington, DNR, 132 pages.
40. Clutter, J.L. 1980. Development of Taper Functions from Variable-Top Merchantable Volume Equations. *Forest Science* 26(1):117-120.
41. Hilt, D.E. 1980. Taper-Based System for Estimating Stem Volumes of Upland Oaks. *Forest Service Research Paper NE-458*, 12 pages.
42. Masutani, T. & K. Nogami. 1980(?) Direct measurement of merchantable volume in a stand – dendrometry and taper equations. (memo?)
43. Bell, J.F., D.D. Marshall, and G.P. Johnson. 1981. Tarif Tables for Mountain Hemlock.

Oregon State University Research Bulletin 35, 46 pages.

44. Kilkki, P. and M. Varmola. 1981. Taper Curve Models for Scots Pine and Their Applications. *Acta Forestalia Fennica* 174:1-60.
45. Martin, A.J. 1981. Taper and Volume Equations for Selected Appalachian Hardwood Species. Forest Service Research Paper NE-490, 22 pages.
46. Monserud, R.A. 1981. Estimating Truncated Tree Volumes with the Behre Hyperboloid and Existing Total Volume Equations. *Forest Science* 27(2):253-265.
47. Snowdon, P., H.D. Waring, and R.C. Woollons. 1981. Effect of Fertilizer and Weed Control on Stem Form and Average Taper in Plantation-Grown Pines. *Aust. For. Res.* 11:209-221.
48. Laasasenaho, J. 1982. Taper Curve and Volume Functions for Pine, Spruce and Birch. *Communicationes Instituti Forestalis Fenniae* 108:1-7.
49. Gordon, A. 1983. Comparison of compatible polynomial taper equations. *New Zealand Journal of Forestry Science* 13(2) 146-155.
50. Kilkki, P. 1983. Sample Trees in Timber Volume Estimation. *Acta Forestalia Fennica* 182: 1-35.
51. Katz, A., A.G. Dunningham, and A. Gordon. 1984. A Compatible Volume and Taper Equation for New Zealand *Pinus radiata* D. Don Grown Under the Direct Sawlog Regime. *New Zealand Forest Service Forest Research Institute Bulletin No. 67*, 12 pages.
52. Knoebel, B.R., H.E. Burkhart, and D.E. Beck. 1984. Stem Volume and Taper Functions for Yellow-Poplar in the Southern Appalachians. *Southern Journal of Applied Forestry* 8(4):185-188.
53. Reed, D.D. and E.J. Green. 1984. Compatible Stem Taper and Volume Ratio Equations. *Forest Science* 30(4):977-990.
54. Wiant, Jr., H.V. and P.M. Charlton. 1984. Estimating Volumes of Upland Hardwoods with the Behre Hyperboloid. *Journal of Forestry*, March:173-174.
55. Brister, G.H. and D.K. Lauer. 1985. A Tarif System for Loblolly Pine. *Forest Science* 31(1):95-108.
56. Burkhart, H.E. and S.B. Walton. 1985. Incorporating Crown Ratio into Taper Equations for Loblolly Pine Trees. *Forest Science* 31(2):478-484.
57. Bryne, J.C. and D.D. Reed. 1986. Complex Compatible Taper and Volume Estimation Systems for Red and Loblolly Pine. *Forest Science* 32(2): 423-443.

58. Newberry, J.D. and H.E. Burkhart. 1986. Variable-Form Stem Profile Models for Loblolly Pine. *Canadian Journal of Forest Res.* 16:109-114.
59. Ormerod, D.W. 1986. The Diameter-Point Method for Tree Taper Description. *Canadian Journal of Forest Res.* 16:484-490.
60. Walters, D.K. and D.W. Hann. 1986. Taper Equations for Six Conifer Species in Southwest Oregon. *Oregon State University Forest Research Bulletin* 56, 41 pages.
61. Amateis, R.L. and H.E. Burkhart. 1987. Tree Volume and Taper of Loblolly Pine Varies by Stand Origin. *Southern Journal of Applied Forestry* 11(4):185-189.
62. Kilkki, P. and J. Lappi. 1987. Estimation of Taper Curve Using Stand Variables and Sample Tree Measurements. *Scandinavian Journal of Forest Res.* 2:121-126.
63. Lenhart, J.D., T.L. Hackett, C.J. Laman, T.J. Wiswell, and J.A. Blackard. 1987. Tree Content and Taper Functions for Loblolly and Slash Pine Trees Planted on Non-Old-Fields in East Texas. *Southern Journal of Applied Forestry* 11(3):147-151.
64. Parresol, B.R., J.E. Hotvedt, and Q.V. Cao. 1987. A Volume and Taper Prediction System for Bald Cypress. *Canadian Journal of Forest Res.* 17:250-259.
65. Biging, G.S. 1988. Estimating the Accuracy of Volume Equations Using Taper Equations of Stem Profile. *Canadian Journal of Forest Res.* 18:1002-1007.
66. Kozak, A. 1988. A Variable-Exponent Taper Equation. *Canadian Journal of Forest Res.* 18:1363-1368.
67. Newnham, R.M. 1988. A Variable-Form Taper Function. *Petawawa National Forestry Institute Information Report PI-X-83*, 33 pages.
68. Czaplewski, R. L., A. S. Brown, & D. G. Guenther. 1989. Estimating merchantable tree volume in Oregon and Washington using stem profile equations. *USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Research Paper RM-286*. 15 p.
69. Real, P.L., J.A. Moore, and J.D. Newberry. 1989. Principal Components Analysis of Tree Stem Profiles. *Canadian Journal of Forest Res.* 19:1538-1542.
70. Candy, S.G. 1989. Compatible Tree Volume and Variable-Form Stem Taper Models for *Pinus Radiata* in Tasmania. *New Zealand Journal of Forestry Science* 19(1):97-111.
71. Czaplewski, R.L. 1989. Graphical Analysis of Stem Taper in Model Building. *Canadian Journal of Forest Res.* 19:522-524.
72. Bruce, D. and T.A. Max. 1990. Use of Profile Equations in Tree Volume Estimation. *Reproduced by the USDA Forest Service, For Official Use Only*, pages 213-220.

73. Clendenen, G.W. 1990. Effects of the Tariff Number/Diameter Relationship on Volume and Height Estimates. *Western Journal of Applied Forestry* 5(1):9-12.
74. Czaplewski, R. L. and D. Bruce. 1990. Retransformation Bias in a Stem Profile Model. *Canadian Journal of Forest Res.* 20:1623-1630.
75. Perez, D.N., H.E. Burkhart, and C.T. Stiff. 1990. A Variable-Form Taper Function for *Pinus Oocarpa* Schiede in Central Honduras. *Forest Science* 36(1):186-191.
76. Clark III, A., R.A. Souter, and B.E. Schlaegal. 1991. Stem Profile Equations for Southern Tree Species. Forest Service Research Paper SE-282, 113 pages.
77. Lohrey, R.E. 1991. Aboveground Biomass of Planted and Direct-Seeded Slash Pine in the West Gulf Region. Proceedings of the Southern Forest Biomass Workshop, Athens, Georgia, June 5-7, 1984. Edited by J.R. Saucier. USDA Forest Service, Southeastern Forest Experiment Station, Asheville, N.E., pages 75-82.
78. Thomas, C.E. and B.R. Parresol. 1991. Simple, Flexible, Trigonometric Taper Equations. *Canadian Journal of Forest Res.* 21:1132-1137.
79. Cormier, K.L., R.M. Reich, R.L. Czaplewski, and W.A. Bechtold. 1992. Evaluation of Weighted Regression and Sample Size in Developing a Taper Model for Loblolly Pine. *Forest Ecology and Management* 53:65-76.
80. Newnham, R.M. 1992. Variable-Form Taper Functions for Four Alberta Tree Species. *Canadian Journal of Forest Res.* 22:210-223.
81. Allen, P.J. 1993. Averages Relative Stem Profile Comparisons for Three Size Classes of Caribbean Pine. *Canadian Journal of Forest Res.* 23:2594-2598.
82. Flewelling, J.W. and L.M. Raynes. 1993. Variable-Shape Stem-Profile Predictions for Western Hemlock. Part I. Predictions from DBH and Total Height. *Canadian Journal of Forest Res.* 23: 520-536.
83. Flewelling, J.W. 1993. Variable-Shape Stem-Profile Predictions for Western Hemlock. Part II. Predictions from DBH, Total Height, and Upper Stem Measurements. *Canadian Journal of Forest Res.* 23:537-544.
84. Kozak, A. and J.H.G. Smith. 1993. Standards for Evaluating Taper Estimating Systems. *The Forestry Chronicle* 69(4):438-444.
85. Lapongan, J., A.B. Vaughn, and J.D. Lenhart. 1993. Tree Content and Taper Functions for Planted Loblolly and Slash Pine Trees in East Texas. The East Texas Pine Plantation Research Project Report 28, 9 pages.

86. Muhairwe, C. 1993. Examination and Modelling of Tree Form and Taper Over Time for Interior Lodgepole Pine. University of British Columbia, Doctoral Thesis, 179 pages.
87. Olson, C.M. and L.C. Wensel. 1993. Tip Length Models for major Commercial California Conifers. Northern California Forest Yield Cooperative Research Note No. 39, 5 pages.
88. Wensel, L.C. and C.M. Olson. 1993. Tree Taper Models for Major Commercial California Conifers. Northern California Forest Yield Cooperative Research Note No. 33 (revised), 28 pages.
89. Bi, H. and J. Turner. 1994. Long-Term Effects of Superphosphate Fertilization of Stem Form, Taper and Stem Volume Estimation of *Pinus Radiata*. *Forest Ecology and Management* 70:285-297.
90. Muhairwe, C.K., V.M. LeMay, and A. Kozak. 1994. Effects of Adding Tree, Stand, and Site Variables to Kozak's Variable-Exponent Taper Equation. *Canadian Journal of Forest Res.* 24:252-259.
91. Broad, L.R. and G.C. Wake. 1995. Derivative Based Methods for Constructing Volume-Ratio and Taper Equations. *Forest Science* 41(1):157-167.
92. Ojansuu, R. and M. Maltamo. 1995. Sapwood and Heartwood Taper in Scots Pine Stems. *Canadian Journal of Forest Research.* 25:1928-1943.
93. Thomas, C.E., B.R. Parresol, K.H.N. Le, and R.E. Lohrey. 1995. Biomass and Taper for Trees in Thinned and Unthinned Longleaf Pine Plantations. *Southern Journal of Applied Forestry* 19(1):29-35.
94. Figueiredo-Filho, A., B.E. Borders, and K.L. Hitch. 1996. Number of Diameters Required to Represent Stem Profiles Using Interpolated Cubic Splines. *Canadian Journal of Forest Res.* 26:1113-1121.
95. Parresol, B.R. and C.E. Thomas. 1996. A Simultaneous Density-Integral System for Estimating Stem Profile and Biomass: Slash Pine and Willow Oak. *Canadian Journal of Forest Res.* 26:773-781.
96. Jayaraman, K. & W. T. Zakrzewski. 1996. Regression with autocorrelated errors: application in stem-profile models. Ontario Forest Research Institute, Forest Research Note No. 53.
97. Zakrzewski, W. T. 1996. Predicting tree stem profile curve through modeling dynamics of tree size. Presentation at Finnish Forest Research Institute, Suonenjoki Research Unit.
98. Huang, S. 1997. Development of Compatible Height and Site Index Models for Young and Mature Stands within an Ecosystem-Based Management Framework. In *Empirical and Process-Based Models for Forest Tree and Stand Growth Simulation*. A. Amaro and M. Tome (eds.), pages 61-98.

99. Kozak, A. 1997. Effects of Multicollinearity and Autocorrelation on the Variable-Exponent Taper Functions. *Canadian Journal of Forest Res.*, 27:619-629.
100. Kozak, A. 1998. Effects of Upper Stem Measurements on the Predictive Ability of a Variable-Exponent Taper Equation. *Canadian Journal of Forest Res.* 28:1078-1083.
101. Courbet, F. 1999. A three-segmented model for the vertical distribution of annual ring area: Application to *Cedrus atlantica* Manetti. *Forest Ecology & Management* 119:177-194.
102. Filho, A.F. and L.B. Schaaf. 1999. Comparison Between Predicted Volumes Estimated by Taper Equations and True Volumes Obtained by the Water Displacement Technique (Xylometer). *Canadian Journal of Forest Res.* 29:451-461.
103. Huang, S., S. Titus, D. Price, and D. Morgan. 1999. Validation of Ecoregion-Based Taper Equations for White Spruce in Alberta. *The Forestry Chronicle* 75(2):281-292.
104. Tiarks, A.E. and V.C. Baldwin, Jr. 1999. Validation of Volume and Taper Equations for Loblolly, Shortleaf, and Slash Pine. Presented at the Tenth Biennial Southern Silvicultural Research Conference, Shreveport, LA, February, 16-18, pages 497-500.
105. Zakrzewski, W. T. 1999. A mathematically tractable stem profile model for Jack pine in Ontario. *Northern Journal of Applied Forestry* 16(3) 138-143.
106. Bi, H. 2000. Trigonometric Variable-Form Taper Equations for Australian Eucalypts. *Forest Science* 46(3):397-409.
107. Fang, Z., B.E. Borders, and R.L. Bailey. 2000. Compatible Volume-Taper Models for Loblolly and Slash Pine Based on a System with Segmented-Stem Form Factors. *Forest Science* 46(1):1-12.
108. Gregoire, T.G., O. Schabenberger, and F. Kong. 2000. Prediction From an Integrated Regression Equation: A Forestry Application. *Biometrics* 56:414-419.
109. Huang, S., D. Price, D. Morgan, and K. Peck. 2000. Kozak's Variable-Exponent Taper Equation Regionalized for White Spruce in Alberta. *Western Journal of Applied Forestry* 15(2):75-85.
110. Bi, H. and Y. Long. 2001. Flexible Taper Equation for Site-Specific Management of *Pinus Radiata* in New South Wales, Australia. *Forest Ecology and Management* 148:79-91.
111. Eerikainen, K. 2001. Stem Volume Models with Random Coefficients for *Pinus Kesiya* in Tanzania, Zambia, and Zimbabwe. *Canadian Journal of Forest Res.* 31:879-888.
112. Inoue, A. 2001. Can the Relative Stem Taper Curve be Estimated Theoretically Only from Tree Height and Diameter at Breast Height? *Journal of Forest Planning* 7:89-94.

113. Inoue, et al. 2001. A Report of the Measurement of Stem Taper for *Cryptomeria japonica* and *Chamaecyparis obtuse* Trees in the Hiruzen Experimental Forest of Tottori University. *Bull. Fac. Agric., Tottori Univ.* 54:1-6.
114. Sharma, M. and R.G. Oderwald. 2001. Dimensionally Compatible Volume and Taper Equations. *Canadian Journal of Forest Res.* 31:797-803.
115. Valentine, H.T. 2001. Estimation of the Volumes of Boles on FIA Plots with a Taper Model. Draft, 8 pages and correspondence.
116. Valentine, H.T. and T.G. Gregoire. 2001. A Switching Model of Bole Taper. *Canadian Journal of Forest Res.* 31:1400-1409.
117. Socha, J. 2002. A taper model for Norway Spruce (*Picea Abie (L)*, Karst.). *Electronic Journal of Polish Agricultural Universities* 5(2): 1 - 16
118. Westfall, J.A. and C.T. Scott. 2002. Study Plan for Tree Taper Equation Development. USDA Forest Service Northeastern Research Station Forest Inventory and Analysis, Draft, with correspondence.
119. Zhang, Y., B.E. Borders, and R.L. Bailey. 2002. Derivation, Fitting, and Implication of a Compatible Stem Taper-Volume-Weight System for Intensively Managed, Fast Growing Loblolly Pine. *Forest Science* 48(3):595-607.
120. Garber, S.M. and D.A. Maguire. 2003. Modeling Stem Taper of Three Central Oregon Species Using Nonlinear Mixed Effects Models and Autoregressive Error Structures. *Forest Ecology and Management* 179:507-522.
121. Lee, W-K, J-H Seo, Y-M Son, K-H Lee, K. von Gadow. 2003. Modeling stem profiles for *Pinus densiflora* in Korea. *Forest Ecology & Management* 172:69-77.
122. Shaw, D.J., R.S. Meldahl, J.S. Kush, and G.L. Somers. 2003. A Tree Taper Model Based on Similar Triangles and Use of Crown Ratio as a Measure of Form in Taper Equations for Longleaf Pine. Forest Service General Technical Report SRS-66, 8 pages.
123. Leites, L. P. & A. P. Robinson. 2004. Improving taper equations of loblolly pine with crown dimensions in a mixed-effects modeling framework. *Forest Science* 50(2) 204-212.
124. Nummi, T. & J. Möttönen. 2004. Estimation and prediction for low degree polynomial models under measurement errors with an application to forest harvesters. *Applied Statistics* 53(3) 495-505.
125. Nummi, T. & J. Möttönen. 2004. Prediction of stem measurements of Scots pine. *Journal of Applied Statistics* 31(1) 105-114.

126. Zakrzewski, W. T. 2004. Non-regression approach to defining a stem profile model. NEMO and Southern Mensurationists 2003 joint conference proceedings (Doruska & Radtke, eds)
127. Laasasenaho, J., T. Melkas, & S. Aldén. 2005. Modelling bark thickness of *Picea abies* with taper curves. *Forest Ecology & Management* 206: 35-47.
128. Diéguez-Aranda, U., F. Castedo-Dorado, J. G. Álvarez-González & A. Rojo. 2006. Compatible taper function for Scots pine plantations in northwestern Spain. *Canadian Journal of Forest Research* 36: 1190-1205.
129. Koskela, L., T. Nummi, S. Wenzel, & V-P. Kivinen. 2006. On the analysis of cubic smoothing spline-based stem curve prediction for forest harvesters. *Canadian Journal of Forest Research* 36: 2909-2919.
130. Lappi, J. 2006. A multivariate, nonparametric stem-curve prediction method. *Canadian Journal of Forest Research* 36: 1017-1027.
131. Lee, W-K, G. S. Biging, Y. Son, W-H. Byun, K-H. Lee, Y-M. Son, & J-H. Seo. 2006. Geostatistical analysis of regional differences in stem taper form of *Pinus densiflora* in central Korea. *Ecological Research* 21:513-525.
132. Trincado, G. & H. E. Burkhart. 2006. A generalized approach for modeling and localizing stem profile curves. *Forest Science* 52(6) 670-682.
133. Zakrzewski, W. T. & D. W. MacFarlane. 2006. Regional stem profile model for cross-border comparisons of harvested red pine (*Pinus resinosa* Ait.) in Ontario and Michigan. *Forest Science* 52(4) 468-475.
134. Bluhm, A. A., S. M. Garber, & D. E. Hibbs. 2007. Taper equation and volume tables for plantation-grown red alder. USDA FOres Service General Technical Report PNW-GTR-735.
135. Klos, R. J, G. G. Wang, Q-L. Dang, & E. W. East. 2007. Taper equations for five major commercial tree species in Manitoba, Canada. *Western Journal of Applied Forestry* 22(3) 163-170.
136. Sharma, M., H. E. Burkhart, & R. L. Amateis. 2007. Scaling taper relationships from miniature-scale to operational scale stands of loblolly pine. *Forest Science* 53(5) 611-617.
137. Newton, P.F. and Sharma, M. 2008. Evaluation of sampling design on taper equation performance in plantation-grown *Pinus banksiana*. *Scandinavian Journal of Forest Research* 23: 358 – 370
138. Westfall, J.A. and Scott, C.T. 2008. Taper models for commercial tree species in the Northeastern U.S. USDA Forest Service, Northern Research Research Station.